Author index

Abaza, K.T. *see* Suleman, M.
Abbot, M. *see* Somerville, N.S.
Abchee, A.B., Yaacoub, C.I., Rizk, M.S. and Ayoub, C.M. A new device for easier handling of the transoesophageal echocardiography probe, 192
Abdul-Latif, M.S. *see* Kam, E.
Adams, A.P. *see* Miller, D.M.
Agrò, F., Barzoi, G., Doyle, D.J. and Manieri, A. Reduction in pulmonary shunt using the Open Lung Concept, 625
Ahmad, I. and Sellers, W.F.S. Prevention and management of laryngospasm, 920
Ahmad, I. *see* Taylor, E.L.
Ahmad, I. Correct positioning of feeding tubes, 1036
Ahmed, F.B. and Mitchell, V. Hazards of submental tracheal intubation, 410
Ahmed, F.B. *see* Basi, S.K.
Akatu, M. *see* Saitoh, Y.
Akioyame, M., Radford, P. and Wallace, P.G.M. Precautions against infection from anaesthetic procedures, 1026
Akrofi, M. *see* Kendall, J.B.
Aldwinckle, R.J. and Montgomery, J.E. Unplanned admission rates and postdischarge complications in patients over the age of 70 following day case surgery, 57
Alfery, D.D. *see* Farrow, C.
Al-Haddad, M., Hayward, I. and Walsh, T.S. A prospective audit of cost of sedation, analgesia and neuromuscular blockade in a large British ICU, 1121
Allan, A.G.L. Reluctance of anaesthetists to perform awake intubation, 413
Allen, E.K. *see* Bradley, P.G.
Allen, G.C., Krause, T., Wappler, F., Fiege, M. and Gerbershagen, M.U. Oral dantrolene, 1139
Allen, J.S.D. and Webb, S.T. Tied up in knots, 515
Allenby, K.S. *see* Wearne, G.D.
Al-Sahaf, H. *see* Khakhar, M.B.
Alston, R.P. and Shaaban Ali, M. A response to 'A pilot study of evaluation of cerebral function by S100B protein and near-infrared spectroscopy during cold and warm cardiopulmonary bypass in infants and children undergoing open-heart surgery' Shaaban Ali M, Harmer M, Elliott M, Lloyd Thomas A and Kirkham F, *Anaesthesia* 2003; **59**: 20–6, 519
Alston, T.A. Chloroform, vitamin B12, and the tragic lives of Robert M. Glover and Horace Wells, 1147
Altemir, F.H., Montero, S.H., Montero, S.H., Montero, E.H. and Peña, M.M. Hazards of submental tracheal intubation, 1140
Altunkaya, H. *see* Ozer, Y.
Ambler, G. *see* Harper, C.M.
Amen, F. *see* Rai, M.R.
Amsler, F. *see* Harms, C.
Anderson, G. *see* Chalmers, A.M.
Anderson, K. *see* Leitch, J.A.
Anderson, R.E., Barr, G., Öwall, A. and Jakobsson, J. Entropy during propofol hypnosis, including an episode of wakefulness, 52
Angliss, M. *see* Myles, P.S.
Anis, S. *see* Robinson, D.
Anto, J. *see* Bullock, R.E.
Apfel, C.C., Kranke, P. and Eberhart, L.H.J. Comparison of surgical site and patient's history with a simplified risk score for the prediction of postoperative nausea and vomiting, 1078
Appelboam, R. and Hammond, E. Viral gastroenteritis – a danger to the patient, a danger to the staff, 293
Armstrong, P. and Sellers, W.F.S. A response to 'Bougie trauma – it is still possible', Prabhu A, Pradham P, Sanaka R and Bilolikar A, *Anaesthesia* 2003; **58**: 811–12, 204
Arnstein, F. A response to 'Patient safety', Levison A, *Anaesthesia* 2003; **58**: 1236, and 'Sleep deprivation and performance', Price S R, *Anaesthesia* 2003; **58**: 1238–9, 204
Arnstein, F. A response to 'Patients safety', Levison A, *Anaesthesia* 2003; **58**: 1236 and 'Sleep deprivation and performance', Price S R, *Anaesthesia* 2003; **58**: 1238, 518
Asai, T. and Latto, I.P. Training in airway management, 90
Asai, T. and Shingu, K. Increased carbon dioxide during anaesthesia in patients with phaeochromocytoma, 830
Asai, T. and Shingu, K. Use of the laryngeal tube during emergence from anaesthesia in a patient with an unstable neck, 300
Asai, T. and Shingu, K. Use of the videolaryngoscope, 513
Asai, T., Evans, A., Vaughan, R.S., Hall, J.E., Mecklenburgh, J. and Wilkes, A.R. Disposable laryngoscopes are not always inferior to non-disposable laryngoscopes, 93
Asai, T., Latto, I.P., Muthuswamy, D. and Kiyama, S. Equipment list for difficult airway management, 922
Asai, T., Marfin, A.G., Thompson, J., Popat, M. and Shingu, K. Ease of insertion of the laryngeal tube during manual-in-line neck stabilisation, 1163
Asai, T., Murao, K., Umegaki, T. and Shingu, K. Use of the laryngeal mask airway in nasally intubated patients, 726
Asai, T., Shingu, K., Taniguchi, S. and Fujise, K. Can patients tell where epidural catheters go?, 407
Asai, T. Use of the laryngeal tube by paramedic staff, 408
Asbury, A.J. *see* Hilditch, W.G.
Athanasiou, E. *see* Stamatiou, G.
Auyong, D.B. and Habib, A.S. Apparent arterial desaturation due a nerve stimulator, 925
Averley, P.A., Girdler, N.M., Bond, S., Steen, N. and Steel, J. A randomised controlled trial of paediatric conscious sedation for dental treatment using intravenous midazolam combined with inhaled nitrous oxide or nitrous oxide/sevoflurane, 844
Ayoub, C.M. *see* Abchee, A.B.
Azim, N. and Wang, C.Y. The use of bispectral index during a cardiopulmonary arrest: a potential predictor of cerebral perfusion, 610

Baba, R. and Ravalia, A.S. International Colour Coding for syringe drug labels: a survey, 1033
Badiger, R., Green, M., Hackwood, H., Palin, C. and Shee, C.D. Non-invasive ventilation in surgical patients in a district general hospital, 967
Bahk, J.-H. *see* Jung, C.-W.
Bahl, N. *see* Haleem, S.
Bailey, C., Menon, G. and Saxena, H. An unusual first presentation of myasthenia gravis, 515

© 2004 Blackwell Publishing Ltd

Baines, D., Siser, J. and Morris, T. Failure of percutaneous tracheostomy forceps, 628
Baines, D. Anaesthesia for quinsy, 198
Baker, A.B. *see* Turner, M.J.
Baker, C.E. Not all Mapleson C circuits are the same, 514
Bakos, P. *see* Stamatiou, G.
Ball, A. *see* Flegar, M.
Ball, D.R. and Jefferson, P. In response to 'Difficult airway alert', Dunstan C R and Caesar H, *Anaesthesia* 2003; **58**: 918–19, 200
Ball, D.R. *see* Jefferson, P.
Ball, D.R. *see* Patri, M.S.
Ball, D.R. *see* Peel, W.J.
Ball, D.R. *see* Tallach, R.E.
Ball, D.R. *see* Whyte, E.
Balvert, H.-J. *see* Wearne, G.D.
Banerjee, A. *see* Datt, V.
Baraka, A. *see* Zeidan, A.
Baraka, A. Inhibition of hiccups by the laryngeal mask airway, 926
Baraz, R. *see* Rassam, S.
Barclay, P. *see* King, H.
Bardenheuer, H. *see* Streitberger, K.
Barker, J. Nitrous oxide in neuroanaesthesia, 407
Barker, R. *see* Nuhr, M.
Barr, G. *see* Anderson, R.E.
Bartley, C. and Shelton, J.M. Ethics of training in regional anaesthesia, 406
Barton, J. *see* Cornish, P.B.
Barzoi, G. *see* Agrò, F.
Basaranoglu, G., Röhm, K.D., Piper, S.N. and Boldt, J. Remifentanil to reduce pain on injection of propofol, 189
Basi, S.K., Cooper, M., Ahmed, F.B., Clarke, S.G. and Mitchell, V. Reluctance of anaesthetists to perform awake intubation, 918
Bateman, R. *see* Henning, J.D.R.
Batistich, S., Kendall, A. and Somers, S. Analgesic requirements in morbidly obese patients, 510
Baudouin, S.V. *see* Cree, R.T.J.
Bauer, A. *see* Streitberger, K.
Bauer, H. *see* Janigro, D.
Bauer, H. *see* Snyder-Ramos, S.A.
Bauer, H. *see* Zink, W.
Bauer, M. *see* Janigro, D.
Bauer, M. *see* Snyder-Ramos, S.A.
Bayshev, F.K. The sterility of fentanyl vials, 626
Beattie, C. *see* Savage, R.
Beatty, P.C.W. and Beatty, S.F. Anaesthetists' intentions to violate safety guidelines, 528
Beatty, S.F. *see* Beatty, P.C.W.
Bedforth, N.M. *see* Sinclair, R.C.F.
Bein, B., Hanne, P., Hanss, R., Renner, J., Weber, B., Steinfath, M., Scholz, J. and Tonner, P.H. Effect of xenon anaesthesia on accuracy of cardiac output measurement using partial CO_2 rebreathing, 1104
Bein, B., Worthmann, F., Scholz, J., Brinkmann, F., Tonner, P.H., Steinfath, M. and Dörges, V. A comparison of the intubating laryngeal mask airway and the Bonfils intubation fibrescope in patients with predicted difficult airways, 668
Bein, B., Yan, M., Tonner, P.H., Scholz, J., Steinfath, M. and Dörges, V. Tracheal intubation using the Bonfils intubation fibrescope after failed direct laryngoscopy, 1207
Belavadi, P. *see* Kitsberg, A.
Beleña, J.M., Nuñez, M., Cabeza, R. and Puig, A. Sneddon's syndrome and anaesthesia, 622
Bell, G.T. *see* Moores, A.
Bell, M.D.D. *see* Horn, J.
Bellingan, G.J. *see* Cuthbertson, B.H.
Bennett, E.D. *see* Grounds, R.M.
Bennett, M.W. *see* Knaggs, R.
Benumof, J.L. *see* Moeller-Bertram, T.
Benzer, A. *see* Tiefenthaler, W.
van den Berg, A.A. An audit of peribulbar blockade using 15 mm, 25 mm and 37.5 mm needles, and sub-Tenon's injection, 775
Bert, C. *see* Leather, H.A.
Bettex, D.A., Hinselmann, V., Hellermann, J.P., Jenni, R. and Schmid, E.R. Transoesophageal echocardiography is unreliable for cardiac output assessment after cardiac surgery compared with thermodilution, 1184
Beverley, C.A. *see* Calvert, N.
Bhatia, A., Mackenzie, I. and Wallen, R.D. Intra-operative 'hypertensive crisis' due to faulty transducer, 1031
Bhatia, A., Smith, H., Trivedi, M. and Rai, M. A response to 'Angiotensin-converting enzyme inhibitor related angioedema and the anaesthetist', Rai M R, Amen F and Idrees F, *Anaesthesia* 2004; **59**: 283–9, 732
Biccard, B. *see* Giles, J.
Biccard, B.M. *see* Jefferson, P.
Biccard, B.M. Peri-operative β-blockade and haemodynamic optimisation in patients with coronary artery disease and decreasing exercise capacity presenting for major noncardiac surgery, 60
Bingham, R. *see* Mallory, S.
Birks, R.J.S. *see* Loader, J.
Bissonnette, B. *see* Rowney, D.A.
Black, D. *see* Vemmer, T.
Black, R., Woolman, P. and Kinsella, J. Variation in the transcription of laboratory data in an intensive care unit, 767
Blaicher, A.M., Landsteiner, H.T., Zwerina, J., Leitgeb, U., Volf, I. and Hoerauf, K. Effect of non-selective, non-steroidal anti-inflammatory drugs and cyclo-oxygenase-2 selective inhibitors on the PFA-100 closure time, 1100
Blair, J.M., Hill, D.A., Wilson, C.M. and Fee, J.P.H. Assessment of tracheal intubation in children after induction with propofol and different doses of remifentanil, 27
Blanshard, H.J. and Cook, T.M. Use of combined spinal-epidural by obstetric anaesthetists, 922
Blanshard, H.J. and Milne, M.R. Latex-free reservoir bags: exchanging one potential hazard for another, 177
Bodenham, A. *see* Johnson, D.
Bogod, D. *see* Ho, A.M.-H.
Bogod, D. *see* Moppett, I.
Bogod, D. *see* Tierney, E.
Bogod, D. Editorial 1. The Nazi Hypothermia Experiments: Forbidden Data?, 1155
Bogod, D. The syringe is mightier than the pen, 1
Boldt, J. *see* Basaranoglu, G.
Boldt, J. *see* Piper, S.N.
Bond, S. *see* Averley, P.A.
Boorman, J. *see* Somerville, N.S.
Booth, S.A. *see* Ridley, S.A.
Böttiger, B.W., Motsch, J., Teschendorf, P., Rehmert, G.C., Gust, R., Zorn, M., Schweizer, M., Layug, E.L., Snyder-Ramos, S.A., Mangano, D.T. and Martin, E. Postoperative 12-lead ECG predicts peri-operative myocardial ischaemia associated with myocardial cell damage, 1083
Böttiger, B.W. *see* Janigro, D.
Böttiger, B.W. *see* Snyder-Ramos, S.A.
Böttiger, B.W. *see* Zink, W.

© 2004 Blackwell Publishing Ltd

Bouche, M.P.L.A. *see* Struys, M.M.R.F.
Bougaki, M., Sawamura, S., Matsushita, F. and Hanaoka, K. Difficult intubation due to ossification of the anterior longitudinal ligament, 303
Bourne, R.S. and Mills, G.H. Sleep disruption in critically ill patients – pharmacological considerations, 374
Bowen, J. *see* Dearlove, O.R.
Boyce, H. Change of datasheet for ketorolac, 721
Bradley, P.G., Allen, E.K. and Menon, D.K. Terlipressin for cerebral perfusion pressure support in a patient with septic shock, 619
Braida, A.L., Mandly, M. and Papadimos, T.J. Disruption of the oxygen supply to a heart-lung machine, 1254
Brauner, I. *see* McCartney, C.J.L.
Breen, P., Lee, J.-W., Pomposelli, F. and Park, K.W. Timing of high-risk vascular surgery following coronary artery bypass surgery: A 10-year experience from an academic medical centre, 422
Breslin, D.S., Mirakhur, R.K., Reid, J.E. and Kyle, A. Manual versus target-controlled infusions of propofol, 1059
Briggs, G. *see* Dearlove, O.
Brimacombe, J. and Keller, C. Inhibition of hiccups by the laryngeal mask airway is ineffective, 1144
Brinkmann, F. *see* Bein, B.
Bromley, L. *see* Reddy, K.
Bromley, L. *see* Seneviratne, R.
Brown, C. *see* Melvin, F.
Bryden, F. and Neilson, G. A new use of rubber gloves for venous cannulation, 833
Bucher, E. *see* von Ungern-Sternberg, B.S.
Buggy, D.J. *see* Cody, C.
Bui, P.K. and Kuczkowski, K.M. Images in clinical anaesthesia: extrathoracic post-traumatic lung herniation, 92
Bullock, R. *see* Cree, R.T.J.
Bullock, R.E. and Anto, J. Placement of a central line in the prone position, 511
Burdett, E. *see* James, M.F.M.
Burmeister, M.A. *see* Pratt, O.W.
Butwick, A. and Garewal, D. Ventilator-assisted nasotracheal intubation, 197
Buzello, S. *see* Patermann, B.

Cabeza, R. *see* Beleña, J.M.
Caesar, C.G. and Scott, D.H.T. Strength of disposable laryngoscopes, 1144
Calthorpe, N. The history of spinal needles: getting to the point, 1231
Calvert, N., Hind, D., McWilliams, R., Davidson, A., Beverley, C.A. and Thomas, S.M. Ultrasound for central venous cannulation: economic evaluation of cost-effectiveness, 1116
Campbell, A.E. *see* Garrard, A.
Campbell, A.E. *see* Goodwin, N.
Campbell, L., Imrie, G., Doherty, P., Porteous, C., Millar, K., Kenny, G.N.C. and Fletcher, G. Patient maintained sedation for colonoscopy using a target controlled infusion of propofol, 127
Carlisle, J.B. *see* Werrett, G.C.
Carter, J.A. *see* Gulati, M.S.
Carter, J.A. *see* Moores, A.
Carter, J.A. Checking anaesthetic equipment and the Expert Group on Blocked Anaesthetic Tubing (EGBAT), 105
Casadio, C. *see* Kampen, J.
Casbard, A.C., Williamson, L.M., Murphy, M.F., Rege, K. and Johnson, T. The role of prophylactic fresh frozen plasma in decreasing blood loss and correcting coagulopathy in cardiac surgery. A systematic review, 550
Cassidy, C.J., Griffiths, E. and Smith, A.F. 'Safety in sleep': anaesthetists, patients and the European Working Time Directive, 841
Chalmers, A.M., McKee, L., Anderson, G. and Reay, J. Risk of airway obstruction by disk from Murphy's eye, 924
Chambers, W.A. *see* Henderson, J.
Chambers, W.A. Editorial 1. Difficult airways – difficult decisions: Guidelines for publication?, 631
Chan, M.T.V. *see* So, C.Y.
Chan, T. *see* Sanders, R.D.
Chan, V.W.S. *see* McCartney, C.J.L.
Chandan, G.S. and Hull, J.M. Incorrectly placed oesophageal Doppler probe, 723
Chandradeva, K. and Hawkins, J. A serious incident with the Blease Frontline Genius™ anaesthetic machine, 627
Chang, S.Y. *see* Lu, C.C.
Chantler, J. and Gale, L. A reusable ultrasound phantom, 1145
Charlton, G.A. *see* Olufolabi, A.J.
Chawathe, M.S. *see* Jones, R.M.
Childs, C., Hadcock, J., Ray, A., King, A.T. and Protheroe, R. Temperature measurement after severe head injury, 192
Childs, C. *see* Fallis, W.M.
Chin, K.J. and Yeo, S.W. A BIS-guided study of sevoflurane requirements for adequate depth of anaesthesia in Caesarean section, 1064
Cho, C.H. *see* Yang, M.K.
Christie, I.W. *see* Priston, M.J.
Chueng, C.M. *see* Lu, C.C.
Chui, P.T. *see* So, C.Y.
Chumbley, G.M., Ward, L., Hall, G.M. and Salmon, P. Pre-operative information and patient-controlled analgesia: much ado about nothing, 354
Clarke, S. *see* Varaday, S.S.
Clarke, S.G. *see* Basi, S.K.
Clutton-Brock, T. *see* Pattinson, K.
Clyburn, P.A. Editorial 2. Early thoughts on 'Why Mothers Die 2000–2002', 1157
Cody, C., Buggy, D.J., Marsh, B. and Moriarity, D.C. Subcutaneous tissue oxygen tension after coronary revascularisation with and without cardiopulmonary bypass, 237
Coe, A.J., Saleh, T., Samuel, T. and Edwards, R. The management of patients with morbid obesity in the anaesthetic assessment clinic, 570
Cohen, A. and Jesuthasan, M. 'Blind' epidural blood patch for spontaneous intracranial hypotension, 190
Cold, G.E. *see* Rasmussen, M.
Colin-Thome, N.J. *see* Story, D.A.
Conacher, I.D. and Curran, E. Local anaesthesia and sedation for rigid bronchoscopy for emergency relief of central airway obstruction, 290
Conradi, R. *see* Streitberger, K.
Conway, D.H. and Mackie, C. The effects of tracheostomy cuff deflation during continuous positive airway pressure, 652
Cook, T. *see* Farrow, C.
Cook, T.M. *see* Blanshard, H.J.
Cook, T.M. *see* Henderson, J.
Cooper, M. *see* Basi, S.K.
Cornelisse, H.B. *see* Snijdelaar, D.G.
Cornish, P.B., Barton, J. and Deacon, A. The impact of regional anaesthesia on outcome: a patient's perspective, 613
Cowan, C.M. *see* Kendall, J.B.

© 2004 Blackwell Publishing Ltd

Craig, J. Shoulder supports, brachial plexus injury and head-down tilt, 196
Craven, R. *see* McGuire, B.E.
Craven, R.M. and Vanner, R.G. Ventilation of a model lung using various cricothyrotomy devices, 595
Crawford, J.M. *see* Hilditch, W.G.
Crawford, J.M. *see* Wilson, E.S.
Cree, R.T.J., Warnell, I., Staunton, M., Shaw, I., Bullock, R., Griffin, S.M. and Baudouin, S.V. Alveolar and plasma concentrations of interleukin-8 and vascular endothelial growth factor following oesophagectomy, 867
Crowe, S. A response to 'Consent and anaesthetic risk', Jenkins K and Baker A B, *Anaesthesia* 2003; **58**: 962–84, 203
Cupitt, J.M. and Kasipandian, V. Pain and intramuscular injections, 93
Cupitt, J.M. *see* McKendrick, R.
Curran, E. *see* Conacher, I.D.
Curran, J. *see* Wild, M.R.
Cuthbertson, B.H., Dickson, R. and Mackenzie, A. Intracranial pressure measurement, induced hypothermia and barbiturate coma in meningitis associated with intractable raised intracranial pressure, 908
Cuthbertson, B.H., Thompson, M., Sherry, A., Wright, M.M. and Bellingan, G.J. on behalf of the Intensive Care Society. Antibiotic-treated infections in intensive care patients in the UK, 885
Cyna, A. and Kinder, C.H. A response to 'Improving anaesthetists' communication skills, Harms C, Young J R, Amsler F, Zettler C, Scheidegger D and Kindler C H, *Anaesthesia* 2004; **59**: 166–72, 522

Dabas, R. *see* Harle, C.C.
Damani, Z. *see* Hunter, J.D.
Darugar, A. *see* Ng, L.
Das, S. *see* Picton, P.
Datt, V., Tempe, D.K., Virmani, S. and Banerjee, A. Tracheobronchial placement of a feeding tube: another method of detection, 514
D'Auria, D.A. Shift work, the anaesthetist and Santayana's warning, 735
Davey, A. and Moppett, I.K. Postoperative complications after CS spray exposure, 1219
Davidson, A. *see* Calvert, N.
Davies, P. *see* Solan, K.
Deacon, A. *see* Cornish, P.B.
Deam, R. and Francis, D.M.A. Methylene blue or patent blue?, 826
Dearlove, O. and Briggs, G. Sleep deprivation and performance, 1036
Dearlove, O., Perkins, R.J. and Briggs, G. Anaesthesia after cleft palate repair, 1032
Dearlove, O.R. and Bowen, J. Air emphysema in the neck after excision of a thyroglossal cyst, 193
Defalque, R.J. and Wright, A.J. The short, tragic life of Robert M. Glover, 394
DeSimone, R. *see* Zink, W.
Dhara, S.S., Liu, E.H.C., Diba, A. and Patel, C. Measuring tracheal pressure during jet ventilation, 617
Dhileepan, S. *see* Raj, A.S.
Diaper, J. *see* Licker, M.
Diba, A. *see* Dhara, S.S.
Diba, A. *see* Patel, C.
Dickson, D. Editorial 2. Risks and benefits of long-term intrathecal analgesia, 633
Dickson, R. *see* Cuthbertson, B.H.
Diefenbacher, M. *see* Streitberger, K.
Dion, P.W. *see* Ho, A.M.-H.
Dix, P., Prosser, D.P. and Streete, P. A pharmacokinetic study of piroxicam in children, 984
Doberer, D. *see* Funk, G.-C.
Dodd, F.M. Introductory day for new college tutors, 96
Doddi, M.K. and Heidemann, B.H. Unexpected failure of a laryngoscope, 310
Doherty, P. *see* Campbell, L.
Dominic Bell, M.D. Editorial 1. Routine pre-oxygenation – a new 'minimum standard' of care?, 943
Dörges, V. *see* Bein, B.
Dorrington, K. A response to 'Pharmacokinetics of sevoflurane uptake into the brain and body', Lu C C, Tsai C S, Ho S T, Chen W Y, Wong C S, Wang J J, Hu O Yp and Lin C Y, *Anaesthesia* 2003; **58**: 951–56, 201
Downer, J.P. *see* Lewis, N.L.
Doyle, D.J. *see* Agrò, F.
Drenger, B. *see* Matot, I.
Drummond, G. *see* Ireland, T.
Drummond, G.B. and Ho, S.-T. Kinetics of sevoflurane uptake by the brain, 188
Drummond, G.B. *see* Mapleson, W.W.
Drummond, G.B. *see* Prasad, C.V.
Dück, M. *see* Patermann, B.
Duggan, J.E. *see* Vanner, R.G.
Dullenkopf, A., Lohmeyer, U., Salgo, B., Gerber, A.C. and Weiss, M. Non-invasive monitoring of haemoglobin concentration in paediatric surgical patients using near-infrared spectroscopy, 453
Duncan, D. and Jakobsson, J. Algorithm for entropy monitor, 721
Dyzers, D. *see* Struys, M.M.R.F.

Eberhart, L.H.J. *see* Apfel, C.C.
Edbrooke, D.L. *see* Talbot, H.
Edge, G. *see* Harper, C.M.
Edwards, R. *see* Coe, A.J.
El Rajab, M. *see* Naja, M.Z.
El Tayara, K. *see* Naja, M.Z.
Ellenberger, C. *see* Licker, M.
Elliot, S.C. *see* Gründling, M.
Elliott, M. *see* Shaaban Ali, M.
Enderby, D. *see* Sims, L.
England, A.J. and Wardle, D.E. Respiratory obstruction secondary to laryngeal mask failure, 1030
Evans, A. *see* Asai, T.
Evans, P. Inducing anaesthesia in the operating theatre, 195
Ezra, D.G., Goyal, S., Moosavi, R., Millar, M., Laganowski, H.C. and Moore, A.T. Microbial keratitis in ITU staff: an occupational hazard?, 1221

Fairgrieve, R. *see* Rowney, D.A.
Fallis, W.M. and Childs, C. A response to 'Temperature measurement after severe head injury', Childs C *et al. Anaesthesia* 2004; **59**: 192–3, 928
Farling, P. and Laurence, S. A response to 'Magnet-safe is not the same as magnet compatible in the MR scanner', Keens S J and Laurence A S, *Anaesthesia* 2004; **59**: 516–7, 927
Farrimond, J. *see* Wilson, E.
Farrow, C., Cook, T., Alfery, D.D. and Quinn, B. Pulmonary aspiration through a Cobra PLA™, 1140
Faude, K. *see* Pratt, O.W.
Fee, J.P.H. *see* Blair, J.M.
Feneck, R.O. Canary needs help; send for Willie Sutton, 616

© 2004 Blackwell Publishing Ltd

Fenlon, S. *see* Somerville, N.S.
Feyerherd, F. *see* Gründling, M.
Fiege, M. *see* Allen, G.C.
Fiege, M. *see* Krause, T.
Fikkers, B.G., van Vugt, S., van der Hoeven, J.G., van den Hoogen, F.J.A. and Marres, H.A.M. Emergency cricothyrotomy: a randomised crossover trial comparing the wire-guided and catheter-over-needle techniques, 1008
Fitzgerald, K., Harmon, D., Naja, Z. and Lönnqvist, P.A. Thoracic paravertebral blockade, 1028
Flegar, M. and Ball, A. Easier nasogastric tube insertion, 197
Fletcher, G. *see* Campbell, L.
Fletcher, S.J. *see* Menon, D.K.
Fletcher, T. *see* Price, D.J.
Foëx, P. *see* Giles, J.
Foëx, P. *see* Giles, J.W.
Foex, P. *see* Higham, H.
Fox, M.A. *see* Kendall, J.B.
Francis, D.M.A. *see* Deam, R.
Frascarolo, Ph. *see* Herriger, A.
Frickey, N. *see* Nuhr, M.
Füchslin, R.M. *see* Weiss, M.
Fujise, K. *see* Asai, T.
Fukutome, T. *see* Ozaki, M.
Funk, G.-C., Doberer, D., Heinze, G., Madl, C., Holzinger, U. and Schneeweiss, B. Changes of serum chloride and metabolic acid-base state in critical illness, 1111
Furlong, G. *see* Radhakrishna, S.

Gale, L. *see* Chantler, J.
Gambhir, S. *see* Leitch, J.A.
Gander, P.H. *see* Webster, C.S.
Gandhi, S. *see* Tighe, S.Q.M.
Gandhi, S.D. *see* Vadodaria, B.S.
Gao, F. *see* Wu, A.
Gardner-Thorpe, C. *see* Pattinson, K.
Garewal, D. *see* Butwick, A.
Garrard, A., Campbell, A.E., Turley, A. and Hall, J.E. The effect of mechanically-induced cricoid force on lower oesophageal sphincter pressure in anaesthetised patients, 435
Gauthama, P. and Morris, E. Check the capnograph, 304
Gavin, M. *see* Muqit, M.M.K.
George, A. A response to 'The use of remifentanil for intubation in paediatric patients during sevoflurane anaesthesia guided by Bispectral Index (BIS) monitoring', Weber F, Füssel U, Gruber M and Hobbhahn J, *Anaesthesia* 2003; **58**: 746–55, 201
George, A. A response to 'Whose distress is it anyway? "fetal distress" and the 30-minute rule', Yentis S M, *Anaesthesia* 2003; **58**: 732–34, 202
Gerber, A.C. *see* Dullenkopf, A.
Gerber, S. *see* Weiss, M.
Gerbershagen, M.U. *see* Allen, G.C.
Gerbershagen, M.U. *see* Krause, T.
Gildersleve, C.D. *see* Jones, R.M.
Giles, J., Sear, J., Foëx, P. and Biccard, B. A response to 'Peri-operative β-blockade and haemodynamic optimisation in patients with coronary artery disease and decreasing exercise capacity presenting for major non-cardiac surgery' Biccard B M, *Anaesthesia* 2004; **59**: 60–8, 520
Giles, J. *see* Pivalizza, E.G.
Giles, J.W., Sear, J.W. and Foëx, P. Effect of chronic β-blockade on peri-operative outcome in patients undergoing non-cardiac surgery: an analysis of observational and case control studies, 574
Girard, T. *see* Schreiber, K.
Girdler, N.M. *see* Averley, P.A.
Girgis, M. and Milner, Q. A rare side-effect of intravenous salbutamol, 196
Glen, J.B. *see* McMurray, T.J.
Godbole, V. *see* McKendrick, R.
Goeteyn, W. *see* Struys, M.M.R.F.
Goldhill, D.R. *see* McNarry, A.F.
Gomersall, C.D. *see* So, C.Y.
Gooch, C., Peutrell, J. and Le Poidevin, R. A faulty Bain circuit, 618
Goodwin, N., Campbell, A.E., Hall, J.E., Plummer, S. and Harmer, M. A comparison of 8% and 12% sevoflurane for inhalation induction in adults, 15
Gordon, P.C. Breathing circuit failure due to surgical 'prep' solution, 835
Gorelov, V. Theoretical value of Hüfner's constant, 97
Gornall, C. *see* Suleman, M.
Gornall, C.B. *see* Wild, M.R.
Gorove, L. *see* Nuhr, M.
Goto, T., Hanne, P., Ishiguro, Y., Ichinose, F., Niimi, Y. and Morita, S. Cardiovascular effects of xenon and nitrous oxide in patients during fentanyl-midazolam anaesthesia, 1178
Gould, G., Kerr, S. and Prophet, N. Preparation for terrorist attacks, 199
Gould, G. Mentor system for anaesthesia trainees, 411
Goyal, S. *see* Ezra, D.G.
Gozal, Y. *see* Matot, I.
Grant, I.S. *see* McMurray, T.J.
Gray, A.J.G. Local causes of inaccuracy in 'Who operates when? II', 311
Green, M. *see* Badiger, R.
Greenland, K. A response to 'Auscultation of the chest after tracheal intubation', Khan A W, Morris S, *Anaesthesia* 2004; **59**: 626–7, 929
Greenland, K.B., Lam, M.C. and Irwin, M.G. Comparison of the Williams Airway Intubator and Ovassapian Fibreoptic Intubating Airway for fibreoptic orotracheal intubation, 173
Greher, M. *see* Marhofer, P.
Griffin, S.M. *see* Cree, R.T.J.
Griffiths, D.E. *see* Wild, M.R.
Griffiths, E. *see* Cassidy, C.J.
Grounds, R.M., Bennett, E.D. and Ridley, S. State of the art: critical care, 509
Gruhlke, T. *see* Janigro, D.
Gruhlke, T. *see* Snyder-Ramos, S.A.
Gründling, M., Pavlovic, D., Kuhn, S.-O., Feyerherd, F., Mallick, A. and Elliot, S.C. Capnography vs. bronchoscopy for percutaneous tracheostomy placement, 301
Gulati, M.S. and Carter, J.A. Less caps, less connecting and instant monitoring, 720
Gupta, A.K. *see* Menon, D.K.
Gurung, A.M. and Tomlinson, A.A. Editorial 1. Pre-preparation of succinylcholine: significant waste for questionable benefit, 211
Gurung, A.M. *see* Murray, D.
Gust, R. *see* Böttiger, B.W.

Habib, A.S. *see* Auyong, D.B.
Hackwood, H. *see* Badiger, R.
Hadcock, J. *see* Childs, C.
Haden, R. *see* Ramachandran, K.
Haden, R.A. Conversion reaction following anaesthesia, 728
Haden, R.M. and Scott, P.V. Second and subsequent surgical operations within 12 months of a first operation, 332

© 2004 Blackwell Publishing Ltd

Haleem, S., Khan, R.M., Siddiqui, M.M.H. and Bahl, N. A remedy for difficult fibreoptic intubation, 926
Hall, C.E.J. *see* Lee, B.B.
Hall, G.M. *see* Chumbley, G.M.
Hall, J. *see* Rassam, S.
Hall, J.E. *see* Asai, T.
Hall, J.E. *see* Garrard, A.
Hall, J.E. *see* Goodwin, N.
Hall, J.E. *see* Hodzovic, I.
Hall, J.E. *see* Jones, R.M.
Hammond, E. *see* Appelboam, R.
Hanaoka, K. *see* Bougaki, M.
Hancock, S.M. and Nathanson, M.H. Editorial 1. Nitrous oxide or remifentanil for the 'at risk' brain, 313
Hanne, P. *see* Bein, B.
Hanne, P. *see* Goto, T.
Hanning, C.D. *see* Rentowl, P.
Hanss, R. *see* Bein, B.
Harding, J. and Nevin, M. Inadvertent myocardial biopsy by a trapped Seldinger wire, 194
Harding, L.J.E. *see* Jones, R.M.
Hardman, J.G. *see* Tighe, S.Q.M.
Harle, C.C., McKendrick, R., Vohra, S.H. and Dabas, R. Fresh frozen plasma for succinylcholine apnoea, 89
Harmer, M. *see* Goodwin, N.
Harmer, M. *see* Pattinson, K.
Harmer, M. *see* Shaaban Ali, M.
Harmon, D. *see* Fitzgerald, K.
Harms, C., Young, J.R., Amsler, F., Zettler, C., Scheidegger, D. and Kindler, C.H. Improving anaesthetists' communication skills, 166
Harper, C.M., Ambler, G. and Edge, G. The prognostic value of pre-operative predicted forced vital capacity in corrective spinal surgery for Duchenne's muscular dystrophy, 1160
Harris, S. *see* Sim, D.J.
Hartopp, R. *see* Khan, S.A.
Haslam, N. *see* Vanner, R.G.
Hattori, H. *see* Saitoh, Y.
Hauffe, H. *see* Tiefenthaler, W.
Hawkins, J. *see* Chandradeva, K.
Hayward, I. *see* Al-Haddad, M.
Healy, M. *see* Jones, P.S.
Heard, A. *see* O'Connor, D.
Heidegger, Th. *see* Tiefenthaler, W.
Heidemann, B.H. *see* Doddi, M.K.
Heinze, G. *see* Funk, G.-C.
Hellermann, J.P. *see* Bettex, D.A.
Henderson, J., Popat, M., Latto, P., Pearce, A., Cook, T.M., Tighe, S.Q.M., Watts, J.C., Price, S.R., Chambers, W.A. and Miller, C.D. Difficult Airway Society guidelines, 1242
Henderson, J.J., Popat, M.T., Latto, I.P. and Pearce, A.C. Difficult Airway Society guidelines for management of the unanticipated difficult intubation, 675
Henderson, J.J. *see* Tighe, S.Q.M.
Henning, J., Sharley, P. and Young, R. Pressures within air-filled tracheal cuffs at altitude – an *in vivo* study, 252
Henning, J.D.R., Bateman, R. and Lambert, H. Excess delivery of isoflurane liquid from a syringe driver, 1251
Hennis, P.J. *see* van Klei, W.A.
Herriger, A., Frascarolo, Ph., Spahn, D.R. and Magnusson, L. The effect of positive airway pressure during pre-oxygenation and induction of anaesthesia upon duration of non-hypoxic apnoea, 243
Heytman, M. and Rainbird, A. Use of alpha-agonists for management of anaphylaxis occurring under anaesthesia: case studies and review, 1210
Higgins, D.J. and Kinnear, J.A. Percutaneous tracheostomy and Creutzfeldt-Jakob Disease, 722
Higham, H., Sear, J.W., Sear, Y.M., Kemp, M., Hooper, R.J.L. and Foex, P. Peri-operative troponin I concentration as a marker of long-term postoperative adverse cardiac outcomes – A study in high-risk surgical patients, 318
Hilditch, W.G., Kopka, A., Crawford, J.M. and Asbury, A.J. Interobserver reliability between a nurse and anaesthetist of tests used for predicting difficult tracheal intubation, 881
Hill, D.A. *see* Blair, J.M.
Hillier, J. *see* Wilson, E.
Hind, D. *see* Calvert, N.
Hinselmann, V. *see* Bettex, D.A.
Hiraoka, H. *see* Takizawa, D.
Hiremath, A. *see* Nandalan, S.P.
Hirsch, N. *see* Levy, D.M.
Hirvonen, E.A., Niskanen, L.K. and Niskanen, M.M. Thyroid storm prior to induction of anaesthesia, 1020
Ho, A.M.-H., Karmakar, M.K., Dion, P.W. and Bogod, D. On research and originality, 404
Ho, S.-T. *see* Drummond, G.B.
Ho, S.T. *see* Lu, C.C.
Ho, S.-T. *see* Mapleson, W.W.
Ho, S.-T. A response to a response to 'Pharmacokinetics of sevoflurane uptake into the brain and body', Lu C C, Tsai C S, Ho S T, Chen W Y, Wong C S, Wang J J, Hu O Yp and Lin C Y, *Anaesthesia* 2003; **58**: 951–56, 203
Hodzovic, I., Latto, I.P., Wilkes, A.R., Hall, J.E. and Mapleson, W.W. Evaluation of Frova, single-use intubation introducer, in a manikin. Comparison with Eschmann multiple-use introducer and Portex single-use introducer, 811
Hodzovic, I., Wilkes, A.R. and Latto, I.P. Bougie-assisted difficult airway management in a manikin – the effect of position held on placement and force exerted by the tip, 38
Hodzovic, I. *see* Ridgway, S.
Hoerauf, K. *see* Blaicher, A.M.
Hoerauf, K. *see* Nuhr, M.
van der Hoeven, J.G. *see* Fikkers, B.G.
Hofer, C.K., Zollinger, A., Rak, M., Matter-Ensner, S., Klaghofer, R., Pasch, T. and Zalunardo, M.P. Therapeutic impact of intra-operative transoesophageal echocardiography during noncardiac surgery, 3
Hohlrieder, M. *see* Tiefenthaler, W.
Holzinger, U. *see* Funk, G.-C.
Honan, D., Jacob, S., Malkan, D., Reinacher, P., Malik, H.U. and Tierney, E. The Cyclimorph® cough, 618
Honan, D. Consent for publication of a case report, 1143
Hong, Y.W. *see* Kwak, Y.L.
van den Hoogen, F.J.A. *see* Fikkers, B.G.
Hooper, R.J.L. *see* Higham, H.
Horan, E.C. Quick calculations for infusions, 414
Horiuchi, R. *see* Takizawa, D.
Horn, J., Bell, M.D.D. and Moss, E. Handover of responsibility for the anaesthetised patient – opinion and practice, 658
Howell, C. *see* Kitson, R.
Hugh James, R. An audit of an audit: local causes of inaccuracy in 'Who operates when II?', 96
Hughes, J.M. *see* Priston, M.J.
Hull, J.M. *see* Chandan, G.S.

© 2004 Blackwell Publishing Ltd

Hulme, J. and Sherwood, N. Severe lactic acidosis following alcohol related generalised seizures, 1228
Human, M. *see* Kruger, S.
Hunter, J.D. and Damani, Z. Intra-abdominal hypertension and the abdominal compartment syndrome, 899
Hutchinson, S.P. *see* Talbot, H.

Ichinose, F. *see* Goto, T.
Idrees, F. *see* Rai, M.R.
Imray, C. *see* Pattinson, K.
Imrie, G., Morris, C. and McCoy, E. Clearing the cervical spine in polytrauma, 1027
Imrie, G. *see* Campbell, L.
Inada, T., Yamanouchi, Y., Jomura, S., Sakamoto, S., Takahashi, M., Kambara, T. and Shingu, K. Effect of propofol and isoflurane anaesthesia on the immune response to surgery, 954
Ireland, T. and Drummond, G. A response to 'Abdominal muscle action during expiration can impair pressure controlled ventilation', Prasad CV and Drummond GB, *Anaesthesia* 2004; **59**: 715–8, 1149
Irwin, M.G. *see* Greenland, K.B.
Irwin, M.G. *see* Lee, L.H.Y.
Ishiguro, Y. *see* Goto, T.
Ishikawa, S., Nakazawa, K. and Makita, K. Malfunctioning transducer cable causes underestimation of arterial blood pressure, 414
Itoh, H. *see* Nishi, M.

Jacob, S. *see* Honan, D.
Jakobsson, J. *see* Anderson, R.E.
Jakobsson, J. *see* Duncan, D.
James, M.F.M., Latoo, M.Y., Mythen, M.G., Mutch, M., Michaelis, C., Roche, A.M. and Burdett, E. Plasma volume changes associated with two hydroxyethyl starch colloids following acute hypovolaemia in volunteers, 738
James, R.H. *see* Murray, D.
Janigro, D., Snyder-Ramos, S.A., Gruhlke, T., Bauer, H., Bauer, M., Luntz, S.P., Motsch, J., Martin, E., Vahl, C.F., Missler, U., Wiesmann, M. and Böttiger, B.W. A response to 'Cerebral and extracerebral release of protein S100B in cardiac surgical patients', Snyder-Ramos SA, Gruhlke T, Bauer H, Bauer M, Luntz AP, Motsch J, Martin E, Vahl CF, Missler U, Wiesmann M and Bottiger BW, *Anaesthesia* 2004; **59**: 344–9, 1149
Janvier, G. *see* McMurray, T.J.
Jefferson, P., Ball, D.R. and Biccard, B.M. Cardiac risk scoring, 405
Jefferson, P. *see* Ball, D.R.
Jefferson, P. *see* Tallach, R.E.
Jenkins, G. A response to 'Masseter muscle spasm following atracurium', Reddy K & Bromley L, *Anaesthesia* 2004; **59**: 513, 733
Jenni, R. *see* Bettex, D.A.
Jensen, L.S., Merry, A.F., Webster, C.S., Weller, J. and Larsson, L. Evidence-based strategies for preventing drug administration errors during anaesthesia, 493
Jesuthasan, M. *see* Cohen, A.
Johnson, D. and Bodenham, A. Provision of long-term venous access procedures by UK anaesthetists: A postal survey, 770
Johnson, T. *see* Casbard, A.C.
Johnston, J.R. *see* McMurray, T.J.
Joldzo, A. *see* Nuhr, M.
Jomura, S. *see* Inada, T.
Jones, B.M. *see* Mallory, S.
Jones, J.G. The 'fixed performance' venturi: effect of downstream pressure on outflow and F_{IO_2}, 704
Jones, N. *see* Shah, T.
Jones, P.L. *see* Jones, R.M.
Jones, P.S., Healy, M., Morris, C.G. and McCoy, E. ICU, cervical collars and immobilisation, 297
Jones, P.S., Wadley, J. and Healy, M. Clearing the cervical spine in unconscious adult trauma patients: A survey of practice in specialist centres in the UK, 1095
Jones, R.M., Jones, P.L., Gildersleve, C.D., Hall, J.E., Harding, L.J.E. and Chawathe, M.S. The Cardiff paediatric laryngoscope blade: a comparison with the Miller size 1 and Macintosh size 2 laryngoscope blades, 1016
Jung, C.-W., Bahk, J.-H., Lee, J.-H. and Lim, Y.-J. The tenth rib line as a new landmark of the lumbar vertebral level during spinal block, 359

Kadry, M. A response to 'Decreasing epidural failure', Picton P and Das S, *Anaesthesia* 2004; **59**: 729, 1149
Kalkman, C.J. *see* van Klei, W.A.
Kam, E., Abdul-Latif, M.S. and McCluskey, A. Comparison of Propofol-Lipuro with propofol mixed with lidocaine 10 mg on propofol injection pain, 1167
Kam, P.C.A., Thompson, S.A. and Liew, A.C.S. Thrombocytopenia in the parturient, 255
Kam, P.C.A., Williams, S. and Yoong, F.F.Y. Vasopressin and terlipressin: pharmacology and its clinical relevance, 993
Kam, P.C.A. *see* Payne, V.
Kam, P.C.A. *see* Price, G.C.
Kambara, T. *see* Inada, T.
Kampe, S. *see* Patermann, B.
Kampen, J., Liess, C., Casadio, C., Tonner, P.H., Reuter, M. and Scholz, J. Safety of the Pulsiocath® for haemodynamic monitoring during magnetic resonance imaging, 828
Kanaya, N. *see* Nishikawa, K.
Kane, M. and Smith, A.F. An American tale – professional conflicts in anaesthesia in the United States: implications for the United Kingdom, 793
Kapral, S. *see* Marhofer, P.
Karmakar, M.K. *see* Ho, A.M.-H.
Kasipandian, V. *see* Cupitt, J.M.
Katsarka, O. *see* Plaat, F.
Katz, J. *see* Snijdelaar, D.G.
Kawamata, M. *see* Nishikawa, K.
Keens, S.J. and Laurence, A.S. Magnet-safe is not the same as magnet compatible in the MR scanner, 516
Keller, C. *see* Brimacombe, J.
Kemp, M. *see* Higham, H.
Kendall, A. *see* Batistich, S.
Kendall, J.B., Russell, G.N., Scawn, N.D.A., Akrofi, M., Cowan, C.M. and Fox, M.A. A prospective, randomised, single-blind pilot study to determine the effect of anaesthetic technique on troponin T release after off-pump coronary artery surgery, 545
Kennedy, R.R. *see* Turner, M.J.
Kenny, G.N.C. *see* Campbell, L.
Kenny, G.N.C. *see* Leitch, J.A.
Kerr, S. *see* Gould, G.
Khakhar, M.B., Al-Sahaf, H. and Neville, L. Internal jugular vein thrombophlebitis secondary to oropharyngeal infection with *Fusobacterium necrophorum*, 302
Khan, A.W. and Morris, S. Auscultation of the chest after tracheal intubation, 626
Khan, R.M. *see* Haleem, S.
Khan, R.M. *see* Khan, S.A.

© 2004 Blackwell Publishing Ltd

Khan, S.A., Khan, R.M., Siddiqi, M.M.H., Hartopp, R., Maynard, J.P. and Wardle, D. Failed gastric tube insertion in the LMA-ProSeal®, 826
Kim, D.W. *see* Park, H.S.
Kim, K.S. *see* Park, H.S.
Kim, S.H. *see* Kwak, Y.L.
Kim, Y.C. *see* Yang, M.K.
Kinder, C.H. *see* Cyna, A.
Kindler, C.H. *see* Harms, C.
Kindler, C.H. *see* Schreiber, K.
Kindler, C.H. Another use for the LOCKIT epidural catheter clamp, 836
King, A.T. *see* Childs, C.
King, H. and Barclay, P. The effects of intrathecal diamorphine on gastric emptying after elective Caesarean section, 565
Kinnear, J.A. *see* Higgins, D.J.
Kinnear, W.J.M. *see* Suleman, M.
Kinsella, J. *see* Black, R.
Kirkham, F. *see* Pattinson, K.
Kirkham, F. *see* Shaaban Ali, M.
Kitsberg, A., Belavadi, P. and Sharma, S. Packaging of generic diclofeanc suppositories, 197
Kitson, R., Williams, V. and Howell, C. Caesarean section in a parturient with type III spinal muscular atrophy and pre-eclampsia, 94
Kiyama, S. *see* Asai, T.
Klaghofer, R. *see* Hofer, C.K.
van Klei, W.A., Hennis, P.J., Moen, J., Kalkman, C.J. and Moons, K.G.M. The accuracy of trained nurses in pre-operative health assessment: results of the OPEN study, 971
Klein, J. *see* Klimek, M.
Klimek, M., Verbrugge, S.J.C., Roubos, S., van der Most, E., Vincent, A.J. and Klein, J. Awake craniotomy for glioblastoma in a 9-year-old child, 607
Kluger, M.T. *see* Price, D.J.
Knaggs, R., Bennett, M.W., Solomons, N. Change of datasheet for ketorolac, 305
Knight, P. and Maltby, R. Logo for AAGBI, 199
Kober, A. *see* Nuhr, M.
Kohlhardt, S.R. *see* Talbot, H.
Kopka, A. *see* Hilditch, W.G.
Kota, R.K. and Kota, S.D. An aid to difficult venous cannulation, 727
Kota, S.D. *see* Kota, R.K.
Kranke, P. *see* Apfel, C.C.
Kranke, P. *see* Piper, S.N.
Krause, T., Gerbershagen, M.U., Fiege, M., Weißhorn, R. and Wappler, F. Dantrolene – A review of its pharmacology, therapeutic use and new developments, 364
Krause, T. *see* Allen, G.C.
Kruger, S. and Human, M. The use of bite blocks with laryngeal mask airways, 920
Kuczkowski, K.M. and Strock, D. Large ovarian cyst as a cause of aortocaval compression, 1148
Kuczkowski, K.M. *see* Bui, P.K.
Kuczkowski, K.M. *see* Moeller-Bertram, T.
Kuczkowski, K.M. Liquid ecstasy during pregnancy, 926
Kuczkowski, K.M. Perineal pruritus and dexamethasone, 308
Kuhn, S.-O. *see* Gründling, M.
Kwak, Y.L., Oh, Y.J., Shinn, H.K., Yoo, K.J., Kim, S.H. and Hong, Y.W. Haemodynamic effects of a milrinone infusion without a bolus in patients undergoing off-pump coronary artery bypass graft surgery, 324
Kyle, A. *see* Breslin, D.S.
Laganowski, H.C. *see* Ezra, D.G.
Lake, A. A response to 'Avoiding adverse outcomes when faced with "difficulty with ventilation"', Bell D, *Anaesthesia* 2003; **58**: 945–948, 202
Lake, A.P.J. A response to 'Pre-preparation of succinylcholine: significant waste for questionable benefit', Gurung A M and Tomlinson A A, *Anaesthesia* 2004; **59**: 211–2, 731
Lam, M.C. *see* Greenland, K.B.
Lambert, H. *see* Henning, J.D.R.
Landsteiner, H.T. *see* Blaicher, A.M.
Larsson, L. *see* Jensen, L.S.
Latoo, M.Y. *see* James, M.F.M.
Latto, I.P. *see* Asai, T.
Latto, I.P. *see* Henderson, J.J.
Latto, I.P. *see* Hodzovic, I.
Latto, I.P. *see* Ridgway, S.
Latto, P. *see* Henderson, J.
Laurence, A.S. *see* Keens, S.J.
Laurence, S. *see* Farling, P.
Layug, E.L. *see* Böttiger, B.W.
Le Poidevin, R. *see* Gooch, C.
Leather, H.A., Vuylsteke, A., Bert, C., M'Fam, W., Segers, P., Sergeant, P., Vandermeersch, E. and Wouters, P.F. Evaluation of a new continuous cardiac output monitor in off-pump coronary artery surgery, 385
Lee, B.B., Shut, L.E. and Hall, C.E.J. Nasotracheal intubation in a patient with maxillo-facial and basal skull fractures, 299
Lee, H. and Streitberger, K. A response to 'Acupuncture compared to placebo-acupuncture for postoperative nausea and vomiting prophylaxis: A randomised placebo-controlled patient and observer blind trial', Streitberger K, Diefenbacher M, Bauer A *et al. Anaesthesia* 2004; **59**: 142–9, 730
Lee, J.-H. *see* Jung, C.-W.
Lee, J.-W. *see* Breen, P.
Lee, L. *see* Myles, P.S.
Lee, L.H.Y., Irwin, M.G., Lim, J. and Wong, C.K. The effect of celecoxib on intrathecal morphine-induced pruritus in patients undergoing Caesarean section, 876
Leitch, J.A., Anderson, K., Gambhir, S., Millar, K., Robb, N.D., McHugh, S. and Kenny, G.N.C. A partially blinded randomised controlled trial of patient-maintained propofol sedation and operator controlled midazolam sedation in third molar extractions, 853
Leitgeb, U. *see* Blaicher, A.M.
Leslie, K. *see* Myles, P.S.
Levy, D.M. and Hirsch, N. A response to 'Advances in neuroanaesthesia', Hirsch N, *Anaesthesia* 2003; **58**: 1162–5, 519
Levy, N. and Mauger, J. Hand washing, 411
Lewis, N.L., Ritchie, E.L., Downer, J.P. and Nel, M.R. Left lateral vs. supine, wedged position for development of block after combined spinal-epidural anaesthesia for Caesarean section, 894
Liban, B. *see* Vemmer, T.
Licker, M., Ellenberger, C., Murith, N., Tassaux, D., Sierra, J., Diaper, J. and Morel, D.R. Cardiovascular response to acute normovolaemic haemodilution in patients with severe aortic stenosis: assessment with transoesophageal echocardiography, 1170
Licker, M., Sierra, J., Tassaux, D. and Diaper, J. Continuous haemodynamic monitoring using transoesophageal Doppler during acute normovolaemic haemodilution in patients with coronary artery disease, 108
Liess, C. *see* Kampen, J.
Liew, A.C.S. *see* Kam, P.C.A.
Light, D. *see* Miller, D.M.

© 2004 Blackwell Publishing Ltd

Lim, J. *see* Lee, L.H.Y.
Lim, M. *see* Tighe, S.Q.M.
Lim, Y.-J. *see* Jung, C.-W.
Lin, C.Y. *see* Lu, C.C.
Lithgow, B. *see* Stuart-Andrews, C.
Liu, E.H.C. *see* Dhara, S.S.
Loader, J. and Birks, R.J.S. Confusion relating to drug syringe labels, 98
Lohmeyer, U. *see* Dullenkopf, A.
Longhorn, R. *see* O'Connor, D.
Lönnqvist, P.A. *see* Fitzgerald, K.
Lönnqvist, P.A. *see* Naja, M.Z.
Lowes, T. Pressures within air-filled tracheal cuffs at altitude, 919
Lu, C.C., Tsai, C.S., Ho, S.T., Chueng, C.M., Wang, J.J., Wong, C.S., Chang, S.Y. and Lin, C.Y. Pharmacokinetics of desflurane uptake into the brain and body, 216
Lucas, D.N. *see* Sanders, R.D.
Luntz, A.P. *see* Snyder-Ramos, S.A.
Luntz, S.P. *see* Janigro, D.
Lurie, S. Euphemia Maclean, Agnes Sampson and pain relief during labour in 16th century Edinburgh, 834

Macdonald, D.J.F. A response to 'Pressures within air-filled tracheal cuffs at altitude – an *in vivo* study', Henning J, Sharley P and Young R, *Anaesthesia* 2004; **59**: 252–4, 731
Mackenzie, A. *see* Cuthbertson, B.H.
Mackenzie, I. *see* Bhatia, A.
Mackenzie, S.J. *see* McMurray, T.J.
Mackie, C. *see* Conway, D.H.
Macko, S. *see* Schnoor, J.
MacLeod, A.D. *see* Whymark, C.
Madl, C. *see* Funk, G.-C.
Magnusson, L. *see* Herriger, A.
Mahajan, R.P. *see* Suleman, M.
Makita, K. *see* Ishikawa, S.
Maleck, W.H. *see* Piper, S.N.
Malhotra, S.K. and Nakra, D. Detection of impending abdominal compartment syndrome, 1146
Malik, H.U. *see* Honan, D.
Malkan, D. *see* Honan, D.
Mallick, A. *see* Gründling, M.
Mallory, S., Yap, L.H., Jones, B.M. and Bingham, R. Anaesthetic management in facial bipartition surgery: The experience of one centre, 44
Mallory, S. *see* Sanders, R.D.
Maltby, R. *see* Knight, P.
Mandly, M. *see* Braida, A.L.
Mangano, D.T. *see* Böttiger, B.W.
Manieri, A. *see* Agrò, F.
Mann, N.K. *see* Webster, C.S.
Mapleson, W.W., Drummond, G.B. and Ho, S.-T. Uptake of volatile agents, 915
Mapleson, W.W. *see* Hodzovic, I.
Mapleson, W.W. Why 5% risk of type-1 error but 20% risk of type-2 error?, 409
Marco, A.P. *see* Papadimos, T.J.
Marcus, R. A response to 'Checking anaesthetic equipment and the Expert Group on Blocked Anaesthetic Tubing (EGBAT)', Carter J A, *Anaesthesia* 2004; **59**: 105–7, 523
Marfin, A.G. *see* Asai, T.
Marhofer, P., Sitzwohl, C., Greher, M. and Kapral, S. Ultrasound guidance for infraclavicular brachial plexus anaesthesia in children, 642
Marres, H.A.M. *see* Fikkers, B.G.
Marsh, B. *see* Cody, C.
Martin, E. *see* Böttiger, B.W.
Martin, E. *see* Janigro, D.
Martin, E. *see* Snyder-Ramos, S.A.
Martin, E. *see* Streitberger, K.
Martin, E. *see* Zink, W.
Martin, L.V.H. *see* Peel, W.J.
Martin, L.V.H. Another look at Dumfries, 180
Matot, I., Drenger, B., Weissman, C., Shauli, A. and Gozal, Y. Epidural clonidine, bupivacaine and methadone as the sole analgesic agent after thoracotomy for lung resection, 861
Matsushita, F. *see* Bougaki, M.
Matta, B.F. *see* Menon, D.K.
Matter-Ensner, S. *see* Hofer, C.K.
Mauger, J. *see* Levy, N.
Maynard, J.P. *see* Khan, S.A.
McBrien, M.E. Alpha agonists for anaphylaxis, 194
McCartney, C.J.L., Brauner, I. and Chan, V.W.S. Ultrasound guidance for a lateral approach to the sciatic nerve in the popliteal fossa, 1023
McCluskey, A. *see* Kam, E.
McCluskey, A. *see* Spencer, C.
McCoy, E. *see* Imrie, G.
McCoy, E. *see* Jones, P.S.
McCoy, E. *see* Morris, C.G.T.
McCulloch, T.J. *see* Turner, M.J.
McGrady, E.M. *see* Purdie, N.L.
McGuire, B.E., Vanner, R. and Craven, R. Emergency airway access equipment, 1029
McHugh, S. *see* Leitch, J.A.
McIndoe, A. *see* Pickering, A.
McIndoe, A. *see* Tighe, S.Q.M.
McIndoe, A.K. *see* Vadodaria, B.S.
McKee, L. *see* Chalmers, A.M.
McKendrick, R., Godbole, V. and Cupitt, J.M. Upper airway obstruction in a patient with a tracheostomy, 95
McKendrick, R. *see* Harle, C.C.
McKinlay, S. *see* Wilson, E.S.
McMurray, T.J., Johnston, J.R., Milligan, K.R., Grant, I.S., Mackenzie, S.J., Servin, F., Janvier, G. and Glen, J.B. Propofol sedation using Diprifusor™ target-controlled infusion in adult intensive care unit patients, 636
McNarry, A.F. and Goldhill, D.R. Simple bedside assessment of level of consciousness: comparison of two simple assessment scales with the Glasgow Coma scale, 34
McNicol, P.L. *see* Story, D.A.
McWilliams, R. *see* Calvert, N.
Mecklenburgh, J. *see* Asai, T.
Mecklenburgh, J. *see* Rassam, S.
Meek, T., von Ungern-Sternberg, B.S., Regli, A. and Schneider, M.C. A response to 'The effect of epidural analgesia in labour on maternal respiratory function', von Ungern-Sternberg B S *et al.* *Anaesthesia* 2004; **59**: 350–3, 928
Melvin, F. and Brown, C. Incompatibility of defibrillators and electrode pads, 1035
Menon, D.K., Wheeler, D.W., Wilkins, I.A., Phillips, P.D., Fletcher, S.J., Penfold, N.W., Smith, H.L., Gupta, A.K. and Matta, B.F. Integrated approaches to academic anaesthesia – the Cambridge experience, 785
Menon, D.K. *see* Bradley, P.G.
Menon, G. *see* Bailey, C.
Merron, S. *see* Tighe, S.Q.M.

© 2004 Blackwell Publishing Ltd

Merry, A.F. *see* Jensen, L.S.
Merry, A.F. *see* Webster, C.S.
Mezzavia, P. *see* Myles, P.S.
M'Fam, W. *see* Leather, H.A.
Michaelis, C. *see* James, M.F.M.
Michailidou, M. and Peck, T. Dystonic reaction to cyclizine, 413
Michaloudis, D. *see* Stamatiou, G.
Mihm, F.G. *see* Orme, R.M.L'E.
Millar, K. *see* Campbell, L.
Millar, K. *see* Leitch, J.A.
Millar, M. *see* Ezra, D.G.
Miller, C.D. *see* Henderson, J.
Miller, D.M., Adams, A.P. and Light, D. Dead space and paediatric anaesthetic equipment: a physical lung model study, 600
Miller, R. *see* Notcutt, W.
Milligan, K.R. *see* McMurray, T.J.
Mills, G.H. *see* Bourne, R.S.
Mills, P. *see* Notcutt, W.
Milne, M.R. *see* Blanshard, H.J.
Milner, Q. *see* Girgis, M.
Milward, G. *see* Pickering, A.
Milward, G. *see* Rutherford, J.
Min, H.K. *see* Park, H.S.
Mirakhur, R.K. *see* Breslin, D.S.
Missler, U. *see* Janigro, D.
Missler, U. *see* Snyder-Ramos, S.A.
Mitchell, V. *see* Ahmed, F.B.
Mitchell, V. *see* Basi, S.K.
Moeller-Bertram, T., Benumof, J.L. and Kuczkowski, K.M. Tracheal intubation through a laryngeal mask may kink the pilot tube, 833
Moen, J. *see* van Klei, W.A.
Montero, E.H. *see* Altemir, F.H.
Montero, S.H. *see* Altemir, F.H.
Montgomery, J.E. *see* Aldwinckle, R.J.
Moons, K.G.M. *see* Opstelten, W.
Moons, K.G.M. *see* van Klei, W.A.
Moore, A.T. *see* Ezra, D.G.
Moore, M. and O'Brien, K. Carbon dioxide pneumothorax treatment with positive end-expiratory pressure, 622
Moores, A., Bell, G.T. and Carter, J.A. Filters and small infants, 719
Moosavi, R. *see* Ezra, D.G.
Moppett, I., Spendlove, J., Nathanson, M.H. and Bogod, D. Manufacturers' response to criticism, 1143
Moppett, I.K. *see* Davey, A.
Morel, D.R. *see* Licker, M.
Moriarity, D.C. *see* Cody, C.
Morita, S. *see* Goto, T.
Morris, C. and Mullan, B. Use of dornase alfa in the management of ARDS, 1249
Morris, C. *see* Imrie, G.
Morris, C.G. and Mullan, B. Clearing the cervical spine after polytrauma: implementing unified management for unconscious victims in the intensive care unit, 755
Morris, C.G.T. and McCoy, É. Clearing the cervical spine in unconscious polytrauma victims, balancing risks and effective screening, 464
Morris, E. *see* Gauthama, P.
Morris, C.G. *see* Jones, P.S.
Morris, S. *see* Khan, A.W.
Morris, T. *see* Baines, D.
Morris, T. *see* Rauf, K.
Mortier, E.P. *see* Struys, M.M.R.F.
Moss, E. *see* Horn, J.
van der Most, E. *see* Klimek, M.
Motsch, J. *see* Böttiger, B.W.
Motsch, J. *see* Janigro, D.
Motsch, J. *see* Snyder-Ramos, S.A.
Mües, J. and Sellers, W.F.S. Carbon dioxide in laryngeal mask airway cuffs, 1254
Mullan, B. *see* Morris, C.
Mullan, B. *see* Morris, C.G.
Muqit, M.M.K., Saidkasimova, S. and Gavin, M. Acute orbital cellulitis after sub-Tenon's eye block, 411
Murakawa, M. *see* Saitoh, Y.
MuraliKrishna, G. A response to 'The sterility of fentanyl vials', Bayshev F K, *Anaesthesia* 2004; **59**: 627, 929
Murao, K. *see* Asai, T.
Murashima, K. *see* Ozaki, M.
Murith, N. *see* Licker, M.
Murphy, M.F. *see* Casbard, A.C.
Murray, D., Vaughan, R.S., Watt, P., James, R.H., Trinder, J., Gurung, A.M. and Tomlinson, A.A. Prepreparation of succinylcholine, 823
Mutch, M. *see* James, M.F.M.
Muthuswamy, D. *see* Asai, T.
Myers, S. *see* Pattinson, K.
Myles, P.S., Leslie, K., Angliss, M., Mezzavia, P. and Lee, L. Effectiveness of bupropion as an aid to stopping smoking before elective surgery: a randomised controlled trial, 1053
Mythen, M.G. *see* James, M.F.M.

Nairn, S. *see* Pratt, O.W.
Naja, M.Z., Ziade, M.F., El Rajab, M., El Tayara, K. and Lönnqvist, P.A. Varying anatomical injection points within the thoracic paravertebral space: effect on spread of solution and nerve blockade, 459
Naja, Z. *see* Fitzgerald, K.
Nakajima, H. *see* Saitoh, Y.
Nakamura, K. *see* Takizawa, D.
Nakazawa, K. *see* Ishikawa, S.
Nakra, D. *see* Malhotra, S.K.
Namiki, A. *see* Nishikawa, K.
Nandalan, S.P. and Vanner, R.G. Use of the harmonic scalpel in a patient with a permanent pacemaker, 620
Nandalan, S.P., Hiremath, A. and Whitehair, R.H. Critical incident due to a Guedel airway, 832
Nathanson, M.H. *see* Hancock, S.M.
Nathanson, M.H. *see* Moppett, I.
Neff, T.A. *see* Weiss, M.
Neilson, G. *see* Bryden, F.
Nel, M.R. *see* Lewis, N.L.
Neville, L. *see* Khakhar, M.B.
Nevin, M. *see* Harding, J.
Newport, S. *see* Notcutt, W.
Ng, L., Darugar, A. and Volikas, I. Interpretation of 'clear fluids' in paediatric practice, 512
Ni, K.M., Watts, J.C. and Panditaratne, S.S. Malposition of a left-sided central venous pressure line, 407
Niimi, Y. *see* Goto, T.
Nishi, M., Itoh, H., Tsubokawa, T., Taniguchi, T. and Yamamoto, K. Effective doses of vecuronium in a patient with myotonic dystrophy, 1216
Nishikawa, K., Kanaya, N., Kawamata, M. and Namiki, A. Left ventricular mechanical performance in elderly patients after

© 2004 Blackwell Publishing Ltd

induction of anaesthesia. A comparison of inhalational induction with sevoflurane and intravenous induction with fentanyl and propofol, 948
Niskanen, L.K. *see* Hirvonen, E.A.
Niskanen, M.M. *see* Hirvonen, E.A.
Nisticò, A. *see* Tommaso, O.D.
Nöll, J. *see* Zink, W.
Notcutt, W., Price, M., Miller, R., Newport, S., Phillips, C., Simmons, S. and Sansom, C. Initial experiences with medicinal extracts of cannabis for chronic pain: Results from 34 'N of 1' studies, 440
Notcutt, W., Rangappa, D. and Mills, P. A response to 'Cannabis abuse and anaesthesia', Mills P M and Penfold N, *Anaesthesia* 2003; **58**: 1125, 518
Nuhr, M., Hoerauf, K., Joldzo, A., Frickey, N., Barker, R., Gorove, L., Puskas, T. and Kober, A. Forehead SpO_2 monitoring compared to finger SpO_2 recording in emergency transport, 390
Nuñez, M. *see* Beleña, J.M.

O'Brien, K. *see* Moore, M.
O'Connor, D., Longhorn, R. and Heard, A. Emergency surgical airway training in Western Australia, 919
Oh, Y.J. *see* Kwak, Y.L.
Olufolabi, A.J., Charlton, G.A. and Spargo, P.M. Effect of head posture on tracheal tube position in children, 1069
Opstelten, W., van Wijck, A.J.M. and Moons, K.G.M. Editorial 2. Design issues for studies into prevention of chronic pain: lessons from post-herpetic neuralgia, 213
Orme, R.M.L'E., Pigott, D.W. and Mihm, F.G. Measurement of cardiac output by transpulmonary arterial thermodilution using a long radial artery catheter. A comparison with intermittent pulmonary artery thermodilution, 590
Ouellette, S.M. Professional conflicts in anaesthesia in the United States, 1247
Öwall, A. *see* Anderson, R.E.
Ozaki, M., Murashima, K. and Fukutome, T. One-lung ventilation using the ProSeal™ laryngeal mask airway, 726
Ozasa, H. *see* Toyota, K.
Ozer, Y. and Altunkaya, H. Topiramate induced metabolic acidosis, 830

Paech, M.J. *see* Rucklidge, M.W.M.
Palin, C. *see* Badiger, R.
Palmer, J. *see* Whyte, E.
Panditaratne, S.S. *see* Ni, K.M.
Papadimos, T.J. and Marco, A.P. Cerebral oximetry and an unanticipated circulatory arrest, 309
Papadimos, T.J. *see* Braida, A.L.
Papadimos, T.J. Trouble with a TOE, 191
Park, H.S., Kim, K.S., Min, H.K. and Kim, D.W. Prevention of postoperative sore throat using capsicum plaster applied at the Korean hand acupuncture point, 647
Park, K.W. *see* Breen, P.
Pasch, T. *see* Hofer, C.K.
Patel, A. *see* Rucklidge, M.W.M.
Patel, A. *see* Sims, L.
Patel, C. and Diba, A. Measuring tracheal airway pressures during transtracheal jet ventilation: an observational study, 248
Patel, C. *see* Dhara, S.S.
Patermann, B., Buzello, S., Dück, M., Paul, M. and Kampe, S. Accidental tenfold overdose of propofol in a 6-month old infant undergoing elective craniosynostosis repair, 912
Patri, M. *see* Rutherford, J.
Patri, M.S. and Ball, D.R. Monitoring and redundancy, 406
Patroe, V. *see* Plaat, F.
Pattinson, K., Clutton-Brock, T., Imray, C., Shaaban Ali, M., Kirkham, F. and Harmer, M. Validity of near-infrared cerebral spectroscopy, 507
Pattinson, K., Myers, S. and Gardner-Thorpe, C. Problems with capnography at high altitude, 69
Paul, M. *see* Patermann, B.
Pavlovic, D. *see* Gründling, M.
Payne, V. and Kam, P.C.A. Mast cell tryptase: a review of its physiology and clinical significance, 695
Pearce, A. *see* Henderson, J.
Pearce, A.C. *see* Henderson, J.J.
Peck, T. *see* Michailidou, M.
Peel, W.J., Ball, D.R. and Martin, L.V.H. A response to 'Another look at Dumfries', Martin L V H, *Anaesthesia* 2004; **59**: 180–7, 733
Peña, M.M. *see* Altemir, F.H.
Penfold, N.W. *see* Menon, D.K.
Perkins, R.J. *see* Dearlove, O.
Peutrell, J. *see* Gooch, C.
Peyton, P. *see* Stuart-Andrews, C.
Phillips, C. *see* Notcutt, W.
Phillips, P.D. *see* Menon, D.K.
Pickering, A., McIndoe, A. and Milward, G. A leaking one-way rotating valve, 623
Picton, P. and Das, S. Decreasing epidural failure, 729
Pigott, D.W. *see* Orme, R.M.L'E.
Piper, S.N., Röhm, K.D., Suttner, S.W., Maleck, W.H., Kranke, P. and Boldt, J. A comparison of nefopam and clonidine for the prevention of postanaesthetic shivering: A comparative, double-blind and placebo-controlled dose-ranging study, 559
Piper, S.N. *see* Basaranoglu, G.
Pivalizza, E.G., Warters, R.D. and Giles, J. A response to 'Effect of chronic B-blockade on peri-operative outcome in patients undergoing non-cardiac surgery: an analysis of observational and case control studies', Giles JW, Sear JW and Foex P, *Anaesthesia* 2004; **59**: 574–83, 1151
Plaat, F., Katsarka, O. and Patroe, V. Reaction between parecoxib and vecuronium, 1251
Plummer, S. *see* Goodwin, N.
Pomposelli, F. *see* Breen, P.
Popat, M. *see* Henderson, J.
Popat, M. *see* Asai, T.
Popat, M.T. *see* Henderson, J.J.
Porteous, C. *see* Campbell, L.
Poustie, S.J. *see* Story, D.A.
Prabhu, P.K. PCA in a patient with bilateral upper limb weakness, 198
Prasad, C.V. and Drummond, G.B. Abdominal muscle action during expiration can impair pressure controlled ventilation, 715
Pratt, O.W., Burmeister, M.A., Faude, K. and Nairn, S. Blockage of a fluid administration set, 829
Price, C. *see* Vashisht, S.
Price, D.J., Kluger, M.T. and Fletcher, T. The management of patients with ischaemic heart disease undergoing non-cardiac elective surgery: A survey of Australian and New Zealand clinical practice, 428
Price, G.C., Thompson, S.A. and Kam, P.C.A. Tissue factor and tissue factor pathway inhibitor, 483
Price, M. *see* Notcutt, W.
Price, S.R. *see* Henderson, J.

© 2004 Blackwell Publishing Ltd

Priston, M.J., Hughes, J.M., Santillo, M. and Christie, I.W. Stability of an epidural analgesic admixture containing epinephrine, fentanyl and bupivacaine, 979
Prophet, N. *see* Gould, G.
Prosser, D.P. *see* Dix, P.
Protheroe, R. *see* Childs, C.
Puig, A. *see* Beleña, J.M.
Purdie, N.L. and McGrady, E.M. Comparison of patient-controlled epidural bolus administration of 0.1% ropivacaine and 0.1% levobupivacaine, both with 0.0002% fentanyl, for analgesia during labour, 133
Puskas, T. *see* Nuhr, M.

Quinn, B. *see* Farrow, C.

Radford, P. *see* Akioyame, M.
Radhakrishna, S., Shekawat, F. and Furlong, G. Sub-Tenon's block without hyaluronidase, 1252
Rai, M. *see* Bhatia, A.
Rai, M.R., Amen, F. and Idrees, F. Angiotensin-converting enzyme inhibitor related angioedema and the anaesthetist, 283
Rainbird, A. *see* Heytman, M.
Raj, A.S. and Dhileepan, S. Prefilled ephedrine syringes, 621
Rak, M. *see* Hofer, C.K.
Ramachandran, K., Vries, L. and Haden, R. A better pill to swallow?, 310
Ramkumar, K.R. and Vuylsteke, A. Antihypertensives and angioedema, 918
Rangappa, D. *see* Notcutt, W.
Rasmussen, M., Tankisi, A. and Cold, G.E. The effects of indomethacin on intracranial pressure and cerebral haemodynamics in patients undergoing craniotomy: A randomised prospective study, 229
Rassam, S., Baraz, R. and Stacey, M. 'Gas off' or 'vaporiser off', 628
Rassam, S., Hall, J. and Mecklenburgh, J. The double 'tails-up' capnograph, 1034
Rauch, H. *see* Zink, W.
Rauf, K., Zwaal, J.W. and Morris, T. Accidental decannulation after surgical tracheostomy, 517
Ravalia, A.S. *see* Baba, R.
Ray, A. *see* Childs, C.
Reay, J. *see* Chalmers, A.M.
Reber, A. *see* von Ungern-Sternberg, B.S.
Reddy, K. and Bromley, L. Masseter muscle spasm following atracurium, 513
Reddy, K. *see* Seneviratne, R.
Rege, K. *see* Casbard, A.C.
Regli, A. *see* Meek, T.
Regli, A. *see* von Ungern-Sternberg, B.S.
Rehnert, G.C. *see* Böttiger, B.W.
Reid, J.E. *see* Breslin, D.S.
Reinacher, P. *see* Honan, D.
Renner, J. *see* Bein, B.
Rentowl, P. and Hanning, C.D. Odour identification as a marker for postoperative cognitive dysfunction: A pilot study, 337
Reuter, M. *see* Kampen, J.
Ribes Pastor, M.P. and Vanarase, M. Peripartum anaesthetic management of a parturient with spinal cord injury and autonomic hyperreflexia, 94
Ridgway, S., Hodzovic, I., Woollard, M. and Latto, I.P. Prehospital airway management in Ambulance Services in the United Kingdom, 1091
Ridley, S. *see* Grounds, R.M.
Ridley, S.A., Booth, S.A., Thompson, C.M. and the Intensive Care Society's Working Group on Adverse Incidents. Prescription errors in UK critical care units, 1193
Ridley, S.A. Editorial 2. Critical care rosters and workload, 946
Ritchie, E.L. *see* Lewis, N.L.
Rizk, M.S. *see* Abchee, A.B.
Robb, H.M. *see* Wilson, E.S.
Robb, N.D. *see* Leitch, J.A.
Robinson, D. and Anis, S. Warming patients in the lithotomy position, 1249
Robinson, G. *see* Stuart-Andrews, C.
Roche, A.M. *see* James, M.F.M.
Röhm, K.D. *see* Basaranoglu, G.
Röhm, K.D. *see* Piper, S.N.
Rolly, G. *see* Struys, M.M.R.F.
Rosencher, N. Ximelagatran, a new oral direct thrombin inhibitor, for the prevention of venous thromboembolic events in major elective orthopaedic surgery. Efficacy, safety and anaesthetic considerations, 803
Rossaint, R. *see* Schnoor, J.
Roubos, S. *see* Klimek, M.
Rowney, D.A., Fairgrieve, R. and Bissonnette, B. The effect of nitrous oxide on cerebral blood flow velocity in children anaesthetised with sevoflurane, 10
Rucklidge, M.W.M. and Patel, A. Failure of the single-use bougie in acute epiglottitis, 925
Rucklidge, M.W.M., Yentis, S.M. and Paech, M.J. Synacthen Depot® for the treatment of postdural puncture headache, 138
Rucklidge, M.W.M. *see* Seneviratne, R.
Russell, G.N. *see* Kendall, J.B.
Rutherford, J., Patri, M. and Milward, G. Failure of antireflux valve in a Vygon PCA set, 511

Saidkasimova, S. *see* Muqit, M.M.K.
Saito, Y. *see* Toyota, K.
Saitoh, Y., Hattori, H., Sanbe, N., Nakajima, H., Akatu, M. and Murakawa, M. Reversal of vecuronium with neostigmine in patients with diabetes mellitus, 750
Sakamoto, S. *see* Inada, T.
Sakura, S. *see* Toyota, K.
Saleh, T. *see* Coe, A.J.
Salgo, B. *see* Dullenkopf, A.
Salmon, P. *see* Chumbley, G.M.
Samuel, T. *see* Coe, A.J.
Sanbe, N. *see* Saitoh, Y.
Sanders, R.D., Mallory, S., Lucas, D.N., Chan, T., Yeo, S. and Yentis, S.M. Extending low-dose epidural analgesia for emergency Caesarean section using ropivacaine 0.75%, 988
Sansom, C. *see* Notcutt, W.
Santillo, M. *see* Priston, M.J.
Sartain, J.B. A response to 'The effect of critical care outreach on postoperative serious adverse events', Story DA, Shelton AC, Poustie SJ, Colin-Thome NJ and McNicol PL. *Anaesthesia* 2004; **59**: 762–6, 1152
Savage, R. and Beattie, C. Inadvertent epidural administration of metaraminol, 624
Sawamura, S. *see* Bougaki, M.
Saxena, H. *see* Bailey, C.
Scawn, N.D.A. *see* Kendall, J.B.
Scheidegger, D. *see* Harms, C.
Schmid, E.R. *see* Bettex, D.A.
Schmid, R.L. *see* Snijdelaar, D.G.
Schneeweiss, B. *see* Funk, G.-C.

© 2004 Blackwell Publishing Ltd

Schneider, A. *see* Streitberger, K.
Schneider, M.C. *see* Meek, T.
Schneider, M.C. *see* von Ungern-Sternberg, B.S.
Schnoor, J., Macko, S., Weber, I. and Rossaint, R. The air elimination capabilities of pressure infusion devices and fluid-warmers, 817
Scholz, J. *see* Bein, B.
Scholz, J. *see* Kampen, J.
Schreiber, K., Girard, T. and Kindler, C.H. Bibliometric analysis of original molecular biology research in anaesthesia, 1002
Schuff-Werner, P. *see* Steiner, M.
Schweizer, M. *see* Böttiger, B.W.
Scott, D.H.T. *see* Caesar, C.G.
Scott, P.V. *see* Haden, R.M.
Sear, J. *see* Giles, J.
Sear, J.W. *see* Giles, J.W.
Sear, J.W. *see* Higham, H.
Sear, Y.M. *see* Higham, H.
Segal, R. A response to 'Difficult Airway Society guidelines for management of the unanticipated difficult intubation', Henderson JJ, Popat MT, Latto IP and Pearce AC, *Anaesthesia* 2004; **59**: 675–94, 1150
Segers, P. *see* Leather, H.A.
Sellers, W.F.S. *see* Ahmad, I.
Sellers, W.F.S. *see* Armstrong, P.
Sellers, W.F.S. *see* Mües, J.
Sellers, W.F.S. *see* Taylor, E.L.
Sellers, W.F.S. A response to 'Difficult Airway Society guidelines for management of the unanticipated difficult intubation', Henderson JJ, Popat MT, Latto IP and Pearce AC, *Anaesthesia* 2004; **59**: 675–94, 1152
Sellers, W.F.S. Intravenous magnesium sulphate and salbutamol for asthma, 198
Sellers, W.F.S. Use of a gum elastic bougie in the oesophagus to guide the ProSeal™ LMA, 1255
Seneviratne, R., Rucklidge, M.W.M., Reddy, K. and Bromley, L. Masseter muscle spasm and non-depolarising neuromuscular blocking agents, 917
Sergeant, P. *see* Leather, H.A.
Servin, F. *see* McMurray, T.J.
Shaaban Ali, M., Harmer, M., Elliott, M., Thomas, A.L. and Kirkham, F. A pilot study of evaluation of cerebral function by S100β protein and near-infrared spectroscopy during cold and warm cardiopulmonary bypass in infants and children undergoing open-heart surgery, 20
Shaaban Ali, M. *see* Alston, R.P.
Shaaban Ali, M. *see* Pattinson, K.
Shah, T. and Jones, N. Well-fitting dentures – friend or foe?, 921
Sharley, P. *see* Henning, J.
Sharma, S. *see* Kitsberg, A.
Shauli, A. *see* Matot, I.
Shaw, I. *see* Cree, R.T.J.
Shee, C.D. *see* Badiger, R.
Shekawat, F. *see* Radhakrishna, S.
Shelton, A.C. *see* Story, D.A.
Shelton, J.M. *see* Bartley, C.
Sherry, A. *see* Cuthbertson, B.H.
Sherwood, N. *see* Hulme, J.
Shingu, K. *see* Asai, T.
Shingu, K. *see* Inada, T.
Shinn, H.K. *see* Kwak, Y.L.
Shut, L.E. *see* Lee, B.B.
Siddiqi, M.M.H. *see* Khan, S.A.
Siddiqui, M.M.H. *see* Haleem, S.
Sierra, J. *see* Licker, M.
Sim, D.J., Wrigley, S.R. and Harris, S. Effects of the European Working Time Directive on anaesthetic training in the United Kingdom, 781
Simeoforidou, M. *see* Stamatiou, G.
Simmons, S. *see* Notcutt, W.
Sims, L., Patel, A. and Enderby, D. Modified Magill's forceps revisited, 97
Sinclair, R.C.F. and Bedforth, N.M. Dystonic reaction following anaesthesia, 727
Singh, B. The need to move the take-off point of the pilot tube, 1143
Sinha, P.K. *see* Unnikrishnan, K.P.
Siser, J. *see* Baines, D.
Sitzwohl, C. *see* Marhofer, P.
Smith, A.F. *see* Cassidy, C.J.
Smith, A.F. *see* Kane, M.
Smith, H. *see* Bhatia, A.
Smith, H.L. *see* Menon, D.K.
Snijdelaar, D.G., Cornelisse, H.B., Schmid, R.L. and Katz, J. A randomised, controlled study of peri-operative low dose s(+)-ketamine in combination with postoperative patient-controlled s(+)-ketamine and morphine after radical prostatectomy, 222
Snyder-Ramos, S.A., Gruhlke, T., Bauer, H., Bauer, M., Luntz, A.P., Motsch, J., Martin, E., Vahl, C.F., Missler, U., Wiesmann, M. and Böttiger, B.W. Cerebral and extracerebral release of protein S100B in cardiac surgical patients, 344
Snyder-Ramos, S.A. *see* Böttiger, B.W.
Snyder-Ramos, S.A. *see* Janigro, D.
So, C.Y., Gomersall, C.D., Chui, P.T. and Chan, M.T.V. Performance of an oxygen delivery device for weaning potentially infectious critically ill patients, 710
Sobolev, I. A response to 'A rare side-effect of intravenous salbutamol', Girgis M and Milner Q, *Anaesthesia* 2004; **59**: 196–7, 730
Solan, K. and Davies, P. Anaesthetic and intensive care management of a patient with Ehlers–Danlos Type IV syndrome after laparotomy, 1224
Solan, K.J. Nasal intubation and previous cleft palate repair, 923
Solomons, N. *see* Knaggs, R.
Somers, S. *see* Batistich, S.
Somerville, N.S., Fenlon, S., Boorman, J. and Abbot, M. Disruption of cleft palate repair following the use of the laryngeal mask airway, 401
Soni, N. *see* Steiner, M.
Spahn, D.R. *see* Herriger, A.
Spargo, P.M. *see* Olufolabi, A.J.
Spears, F. The nasal intubation aid, 199
Spears, F.D. *see* Standley, T.D.A.
Spencer, C., Watkinson, P. and McCluskey, A. Training and assessment of competency of trainees in the transfer of critically ill patients, 1248
Spendlove, J. *see* Moppett, I.
Srikiran, R. *see* Vemmer, T.
Staber, M. *see* Tighe, S.Q.M.
Stacey, M. *see* Rassam, S.
Stamatiou, G., Athanasiou, E., Simeoforidou, M., Bakos, P. and Michaloudis, D. Thoracic paravertebral block for breast surgery, 723
Standley, T.D.A. and Spears, F.D. Teaching cannula cricothyroidotomy, 1138
Staunton, M. *see* Cree, R.T.J.

© 2004 Blackwell Publishing Ltd

Steel, J. *see* Averley, P.A.
Steen, N. *see* Averley, P.A.
Steiner, M., Schuff-Werner, P. and Soni, N. White cell count and intensive care unit outcome: rethinking the vocabulary, 94
Steinfath, M. *see* Bein, B.
Story, D.A., Shelton, A.C., Poustie, S.J., Colin-Thome, N.J. and McNicol, P.L. The effect of critical care outreach on postoperative serious adverse events, 762
Streete, P. *see* Dix, P.
Streitberger, K., Diefenbacher, M., Bauer, A., Conradi, R., Bardenheuer, H., Martin, E., Schneider, A. and Unnebrink, K. Acupuncture compared to placebo-acupuncture for postoperative nausea and vomiting prophylaxis: A randomised placebo-controlled patient and observer blind trial, 142
Streitberger, K. *see* Lee, H.
Strock, D. *see* Kuczkowski, K.M.
Struys, M.M.R.F., Bouche, M.P.L.A., Rolly, G., Vandevivere, Y.D.I., Dyzers, D., Goeteyn, W., Versichelen, L.F.M., Van Bocxlaer, J.F.P. and Mortier, E.P. Production of compound A and carbon monoxide in circle systems: an *in vitro* comparison of two carbon dioxide absorbents, 584
Stuart-Andrews, C., Peyton, P., Robinson, G. and Lithgow, B. Accuracy of the Foldes-Biro equation for measurement of oxygen uptake during anaesthesia: a laboratory simulation, 541
Stuart-Smith, K. CPR for the canary, 296
Suleman, M., Abaza, K.T., Gornall, C., Kinnear, W.J.M., Wills, J.S. and Mahajan, R.P. The effect of a mechanical glottis on peak expiratory flow rate and time to peak flow during a peak expiratory flow manoeuvre: A study in normal subjects and patients with motor neurone disease, 872
Suneel, P.R. *see* Unnikrishnan, K.P.
Suttner, S.W. *see* Piper, S.N.
Sweeney, B.P. Watson and Crick 50 years on. From double helix to pharmacogenomics, 150

Takahashi, M. *see* Inada, T.
Takizawa, D., Hiraoka, H., Nakamura, K., Yamamoto, K. and Horiuchi, R. Influence of the prone position on propofol pharmacokinetics, 1250
Talbot, H., Hutchinson, S.P., Edbrooke, D.L., Wrench, I. and Kohlhardt, S.R. Evaluation of a local anaesthesia regimen following mastectomy, 664
Tallach, R.E., Ball, D.R. and Jefferson, P. Monitoring seizures with the Bispectral index, 1033
Taniguchi, S. *see* Asai, T.
Taniguchi, T. *see* Nishi, M.
Tankisi, A. *see* Rasmussen, M.
Tassaux, D. *see* Licker, M.
Taylor, E.L., Ahmad, I. and Sellers, W.F.S. ProSeal™ LMA aids orogastric tube insertion with a tracheal tube in place, 726
Tempe, D.K. *see* Datt, V.
Teschendorf, P. *see* Böttiger, B.W.
Thomas, A.L. *see* Shaaban Ali, M.
Thomas, E.O. A National Survey of ICU consultant working practices at weekends, 960
Thomas, S.M. *see* Calvert, N.
Thompson, A.C.D. A new video laryngoscope, 410
Thompson, C.M. *see* Ridley, S.A.
Thompson, J. *see* Asai, T.
Thompson, J.P. Ideal peri-operative management of patients with cardiovascular disease: the quest continues, 417
Thompson, M. *see* Cuthbertson, B.H.
Thompson, S.A. *see* Kam, P.C.A.
Thompson, S.A. *see* Price, G.C.
Tiefenthaler, W., Hohlrieder, M., Hauffe, H., Heidegger, Th. and Benzer, A. Proposal for a different ranking of anaesthesia journals, 831
Tierney, E. and Bogod, D. Consent for publication of a case report, 822
Tierney, E. *see* Honan, D.
Tighe, S.Q.M., Staber, M., Hardman, J.G., Henderson, J.J., Merron, S., Lim, M., Vadodaria, B., Gandhi, S. and McIndoe, A. Emergency airway access equipment, 505
Tighe, S.Q.M. *see* Henderson, J.
Tomlinson, A.A. *see* Gurung, A.M.
Tomlinson, A.A. *see* Murray, D.
Tommaso, O.D., Nisticò, A. and Vitullo, A. Unusual complication during knee arthroscopy, 305
Tonner, P.H. *see* Bein, B.
Tonner, P.H. *see* Kampen, J.
Townley, S.A. European Computer Driving Licence, 1145
Toyota, K., Sakura, S., Saito, Y., Ozasa, H. and Uchida, H. The effect of pre-operative administration of midazolam on the development of intra-operative hypothermia, 116
Train, J.J.A. A response to 'Magnet-safe is not the same as magnet compatible in the MR scanner', Keens S J and Laurence A S, *Anaesthesia* 2004; **59**: 516–7, 927
Trinder, J. *see* Murray, D.
Trivedi, M. *see* Bhatia, A.
Tsai, C.S. *see* Lu, C.C.
Tsubokawa, T. *see* Nishi, M.
Turley, A. *see* Garrard, A.
Turner, M.J., McCulloch, T.J., Kennedy, R.R. and Baker, A.B. Pharmacokinetics of sevoflurane uptake into the brain, 1201

Uchida, H. *see* Toyota, K.
Umegaki, T. *see* Asai, T.
von Ungern-Sternberg, B.S., Regli, A., Bucher, E., Reber, A. and Schneider, M.C. Impact of spinal anaesthesia and obesity on maternal respiratory function during elective Caesarean section, 743
von Ungern-Sternberg, B.S., Regli, A., Bucher, E., Reber, A. and Schneider, M.C. The effect of epidural analgesia in labour on maternal respiratory function, 350
von Ungern-Sternberg, B.S. *see* Meek, T.
Unnebrink, K. *see* Streitberger, K.
Unnikrishnan, K.P., Sinha, P.K. and Suneel, P.R. An unusual cause of excessive bleeding in a neurosurgical patient, 724

Vadodaria, B. *see* Tighe, S.Q.M.
Vadodaria, B.S., Gandhi, S.D. and McIndoe, A.K. Comparison of four different emergency airway access equipment sets on a human patient simulator, 73
Vahl, C.F. *see* Janigro, D.
Vahl, C.F. *see* Snyder-Ramos, S.A.
Van Bocxlaer, J.F.P. *see* Struys, M.M.R.F.
Vanarase, M. *see* Ribes Pastor, M.P.
Vandermeersch, E. *see* Leather, H.A.
Vandevivere, Y.D.I. *see* Struys, M.M.R.F.
Vanner, R. *see* McGuire, B.E.
Vanner, R.G., Haslam, N. and Duggan, J.E. Cricoid pressure, 91
Vanner, R.G. *see* Craven, R.M.
Vanner, R.G. *see* Nandalan, S.P.
Varaday, S.S., Yentis, S.M. and Clarke, S. A homemade model for training in cricothyrotomy, 1012

© 2004 Blackwell Publishing Ltd

Vashisht, S. and Price, C. Clinical governance in pain management, 88
Vaughan, R.S. *see* Asai, T.
Vaughan, R.S. *see* Murray, D.
Vemmer, T., Srikiran, R., Liban, B. and Black, D. Isoflurane damage to a Draeger Primus anaesthetic machine, 306
Verbrugge, S.J.C. *see* Klimek, M.
Versichelen, L.F.M. *see* Struys, M.M.R.F.
Viira, D.J. Less invasive lung volume reduction surgery, 409
Vincent, A.J. *see* Klimek, M.
Virmani, S. *see* Datt, V.
Vitullo, A. *see* Tommaso, O.D.
Vohra, S.B. Another foreign body in a laryngeal mask airway, 98
Vohra, S.H. *see* Harle, C.C.
Volf, I. *see* Blaicher, A.M.
Volikas, I. *see* Ng, L.
Vries, L. *see* Ramachandran, K.
van Vugt, S. *see* Fikkers, B.G.
Vuylsteke, A. *see* Leather, H.A.
Vuylsteke, A. *see* Ramkumar, K.R.

Wadley, J. *see* Jones, P.S.
Wallace, P.G.M. *see* Akioyame, M.
Wallen, R.D. *see* Bhatia, A.
Walsh, T.S. *see* Al-Haddad, M.
Wang, C.Y. *see* Azim, N.
Wang, J.J. *see* Lu, C.C.
Wappler, F. *see* Allen, G.C.
Wappler, F. *see* Krause, T.
Ward, L. *see* Chumbley, G.M.
Wardle, D. *see* Khan, S.A.
Wardle, D.E. *see* England, A.J.
Warnell, I. *see* Cree, R.T.J.
Warters, R.D. *see* Pivalizza, E.G.
Watkinson, P. *see* Spencer, C.
Watt, P. *see* Murray, D.
Watts, J.C. *see* Henderson, J.
Watts, J.C. *see* Ni, K.M.
Wearne, G.D., Allenby, K.S. and Balvert, H.-J. Desflurane spillage during refilling, 307
Webb, S.T. *see* Allen, J.S.D.
Weber, B. *see* Bein, B.
Weber, F. A response to a response to 'The use of remifentanil for intubation in paediatric patients during sevoflurane anaesthesia guided by Bispectral Index (BIS) monitoring', Weber F, Füssel U, Gruber M and Hobbhahn J, *Anaesthesia* 2003; **58**: 746–55, 201
Weber, I. *see* Schnoor, J.
Webster, C.S., Merry, A.F., Gander, P.H. and Mann, N.K. A prospective, randomised clinical evaluation of a new safety-orientated injectable drug administration system in comparison with conventional methods, 80
Webster, C.S. *see* Jensen, L.S.
Weißhorn, R. *see* Krause, T.
Weiss, M., Gerber, S., Füchslin, R.M. and Neff, T.A. Accurate continuous drug delivery at low infusion rate with a novel microvolumetric infusion pump (MVIP): pump design, evaluation and comparison to the current standard, 1133
Weiss, M. *see* Dullenkopf, A.
Weissman, C. *see* Matot, I.
Weller, J. *see* Jensen, L.S.
Werner, L. A response to 'Sudden deaths during hip hemi-arthroplasty', Parry G, *Anaesthesia* 2003; **58**: 922–23, 200
Werrett, G.C. and Carlisle, J.B. Intubation via single-use laryngeal mask airways, 1139
Wheeler, D.W. *see* Menon, D.K.
Whitehair, R.H. *see* Nandalan, S.P.
Whymark, C. and MacLeod, A.D. Inadvertent overdose of muscle relaxants, 1253
Whyte, E., Ball, D.R. and Palmer, J. A response to 'Patients ideas of surgical risk', Palmer J, *Anaesthesia* 2003; **58**: 1239, 518
Wiesmann, M. *see* Janigro, D.
Wiesmann, M. *see* Snyder-Ramos, S.A.
van Wijck, A.J.M. *see* Opstelten, W.
Wild, M.R., Gornall, C.B., Griffiths, D.E. and Curran, J. Maintenance of anaesthesia with sevoflurane or isoflurane effects on adverse airway events in smokers, 891
Wilkes, A.R. *see* Asai, T.
Wilkes, A.R. *see* Hodzovic, I.
Wilkes, A.R. The effect of gas flow on the filtration performance of breathing system filters, 278
Wilkes, A.R. The moisture-conserving performance of breathing system filters during the first three minutes of simulated use, 265
Wilkes, A.R. The moisture-conserving performance of breathing system filters in use with simulated circle anaesthesia breathing systems, 271
Wilkins, I.A. *see* Menon, D.K.
Williams, S. *see* Kam, P.C.A.
Williams, V. *see* Kitson, R.
Williamson, L.M. *see* Casbard, A.C.
Wills, J.S. *see* Suleman, M.
Wilson, C.M. *see* Blair, J.M.
Wilson, E., Hillier, J. and Farrimond, J. Ultrasound guided 'low approach' femoral vein cannulation, 725
Wilson, E.S., McKinlay, S., Crawford, J.M. and Robb, H.M. The influence of esmolol on the dose of propofol required for induction of anaesthesia, 122
Wong, C.K. *see* Lee, L.H.Y.
Wong, C.S. *see* Lu, C.C.
Woodall, N. *see* Yarham, S.
Woollard, M. *see* Ridgway, S.
Woolman, P. *see* Black, R.
Worthington, R. Ethical dichotomies and methods of seeking consent, 525
Worthmann, F. *see* Bein, B.
Wouters, P.F. *see* Leather, H.A.
Wrench, I. *see* Talbot, H.
Wright, A.J. *see* Defalque, R.J.
Wright, M.M. *see* Cuthbertson, B.H.
Wrigley, S.R. *see* Sim, D.J.
Wu, A. and Gao, F. Long-term outcomes in survivors from critical illness, 1049

Yaacoub, C.I. *see* Abchee, A.B.
Yamamoto, K. *see* Nishi, M.
Yamamoto, K. *see* Takizawa, D.
Yamanouchi, Y. *see* Inada, T.
Yan, M. *see* Bein, B.
Yang, M.K., Cho, C.H. and Kim, Y.C. The effects of cryoanalgesia combined with thoracic epidural analgesia in patients undergoing thoracotomy, 1073
Yap, L.H. *see* Mallory, S.
Yarham, S. and Woodall, N. Leak of TIVA from Y-connector, 628
Yentis, S.M. *see* Rucklidge, M.W.M.
Yentis, S.M. *see* Sanders, R.D.
Yentis, S.M. *see* Varaday, S.S.

© 2004 Blackwell Publishing Ltd

Yentis, S.M. Editorial 2. Ethics again – hoops, loops and principles, 316
Yeo, S. *see* Sanders, R.D.
Yeo, S.W. *see* Chin, K.J.
Yoo, K.J. *see* Kwak, Y.L.
Yoong, F.F.Y. *see* Kam, P.C.A.
Young, J.R. *see* Harms, C.
Young, R. *see* Henning, J.

Zalunardo, M.P. *see* Hofer, C.K.
Zeidan, A. and Baraka, A. Is euphoria a side-effect of lidocaine?, 1253
Zettler, C. *see* Harms, C.
Ziade, M.F. *see* Naja, M.Z.
Zink, W., Nöll, J., Rauch, H., Bauer, H., DeSimone, R., Martin, E. and Böttiger, B.W. Continuous Assessment of Right Ventricular Ejection Fraction: New pulmonary artery catheter versus transoesophageal echocardiography, 1126
Zollinger, A. *see* Hofer, C.K.
Zorn, M. *see* Böttiger, B.W.
Zuck, D. and Zuokumor, P. An unusual postoperative burn, 1142
Zuck, D. Death from chloroform?, 834
Zuokumor, P. *see* Zuck, D.
Zuokumor, P. An unusual postoperative burn, 510
Zwaal, J.W. *see* Rauf, K.
Zwerina, J. *see* Blaicher, A.M.

Keyword index

Abdominal muscles, 715
Academic training, 785
ACDU scale, 34
Acid-base imbalance: chloride, critical illness, 1111
Acid-base imbalance: lactic acidosis, alcohol withdrawal seizures, 1228
Acupuncture, 142
Acupuncture therapy, 647
Acute respiratory distress syndrome: oesophagectomy, 867
Adrenergic alpha-agonists, 1210
Adrenergic beta-agonists, 574
Adrenergic beta-antagonists, 428
Age factors, 948
Airway obstruction, 283, 290, 595, 1008, 1012, 1163
Altitude, 252
Alzheimer Disease, 337
Anaesthesia, 44, 60, 150
Anaesthesia: cardiovascular, 428, 574
Anaesthesia, closed-circuit, 271
Anaesthesia: complications, 570, 647
Anaesthesia, conduction, 642
Anaesthesia: conduction, regional, 1023
Anaesthesia, dental, 844, 853
Anaesthesia: emergency, 435
Anaesthesia, epidural, 545
Anaesthesia: history, diethyl ether, 180
Anaesthesia: Induction; Inhalation; Sevoflurane, 15
Anaesthesia: intravenous, 80
Anaesthesia; local: eye blocks, 775
Anaesthesia: low-flow, 541
Anaesthesia: mortality, 394
Anaesthesia, obstetric, 350
Anaesthesia: obstetric, 138, 743, 1064
Anaesthesia: obstetric, combined spinal-epidural, 894
Anaesthesia: obstetric, epidural, 988
Anaesthesia: paediatric, 10, 27, 600, 607, 912, 984, 1016, 1069
Anaesthesia: pre-operative assessment, 971
Anaesthesia, spinal, 359, 565, 743, 1231
Anaesthesia: spinal obstetric, Caesarean section, 876
Anaesthetics: intravenous, propofol, 27
Anaesthetics, inhalation: sevoflurane, desflurane, 584
Anaesthetics, inhalational: desflurane, 216
Anaesthetics, inhalational: inert gases, 1178
Anaesthetics, inhalational: sevoflurane, 1064, 1201
Anaesthetics, inhalational: Xenon, 1104
Anaesthetics, intravenous: propofol, 122, 127, 1059, 1167
Anaesthetics, local, 133, 664
Anaesthetics, local: lidocaine, 1167
Anaesthetics: nitrous oxide, sevoflurane, 844
Anaesthetics: propofol, 853
Anaesthetics: propofol, isoflurane, 954
Anaesthetics: propofol, sevoflurane, 948
Anaesthetics: sevoflurane, isoflurane, 891
Anaesthetics, volatile: sevoflurane, nitrous oxide, 10
Analgesia, epidural, 350, 979
Analgesia, patient-controlled, 354
Analgesia': patient-controlled, 222
Analgesia: patient-controlled, epidural, 133
Analgesia: postoperative, 984
Analgesics: diamorphine, 565
Analgesics: fentanyl, 948, 979
Analgesics: opioid, 715
Analgesics: opioid, remifentanil, 27
Analgesics: non-steroidal, rofecoxib, 1100
Analgesics: piroxicam, 984
Anaphylaxis, 695, 1210
Anatomy, 459
Anatomy: lumbar vertebral level, 359
Angioneurotic oedema, 283
Angiotensin-converting enzyme inhibitors, 283
Antibiotics, 885
Anticholinesterase drugs: neostigmine, 750
Anticoagulants, 803
Anxiety, 166
Aortic stenosis, 1170
AVPU scale, 34
awareness, 52

Benzodiazepines: midazolam, 844
Biochemical markers: Troponin I, troponin T, creatine kinase, 1083

© 2004 Blackwell Publishing Ltd

Blood coagulation, 483
Blood loss, 738
Blood transfusion, 550
Blood volume, 738
Brachial plexus, ultrasonography, child, 642
Brain injury: barbiturates, coma, 908
Brain: blood flow, 10
Bronchoscopes, 668
Bupropion, 1053

Caesarean section, 988
Cannabidiol, 440
Cannabis, 440
Capnography situations: high altitude, 69
Carbon dioxide: absorption, 584
Carbon monoxide, 584
Cardiac function, 1178
Cardiac output, 385
Cardiopulmonary bypass, 237, 344, 545
Cardiopulmonary bypass, cold, warm: Brain function, S100β protein cerebral oxygenation, 20
Cardiopulmonary resuscitation, 610
Cellular immunity, 954
Central venous catheterisation: long-term, 770
Central venous catheterisation: ultrasound-guided, 1116
Children, 44
Chloroform, 394
Cleft palate, 401
Clinical competence, 166
Clonidine, 559
Communication, 166
Compartment syndromes: abdominal, 899
Complications: obesity, 743
Complications: postdural puncture headache, 138
Complications: surgery, 332
Compound A, 584
Conscious sedation, 607, 844
Consciousness: assessment; bedside, 34
Continuous positive airway pressure, 243
Coronary artery bypass surgery, 385
Coronary artery bypass surgery: off-pump, 324
Cost analysis, 1116, 1121
Cough, 872
Craniofacial abnormalities, 44
Craniotomy: awake, 607
Creatine kinase, 318
Cricothyroidotomy, 675
Critical care: outreach, 762
Cryotherapy, 1073

Dantrolene, malignant hyperthermia, 364
day surgery, 57
Delivery of Health Care Anaesthesiology: Great Britain; United States, 793
Delta 9 tetrahydrocannabinol, 440
depth of anaesthesia, 52
Diabetes mellitus, 750
Diagnostic imaging, 464, 755, 1095
Diagnostic techniques: transoesophageal echography, 1170
Drug delivery systems: target-controlled infusion, Diprifusor™, 636
Drug labelling, 80
Drug stability, 979
Drug therapy: complications, 374
Duchenne muscular dystrophy, 1160

Ecstasy, 364
Education, 166, 785
Ehlers–Danlos Syndrome, 1224
elderly, 57
Electrocardiography, Holter, 1083
Emergencies, 73, 390
entropy, 52
Epidural analgesia, 861, 1073
Epinephrine, 1210
Equipment: airway management, 1091
Equipment: anaesthesia breathing systems, 600
Equipment: breathing filters, humidification, 265, 271, 278
Equipment: cricothyrotomy, 595
Equipment: gum-elastic bougie, 38
Equipment: infusion pump, microvolumetric, 1133
Equipment: intubating introducers, 811
Equipment: laryngeal mask airway, 401
Equipment: laryngeal tube, 1163
Equipment: laryngoscopes, 1016
Equipment: Ovassapian airway, Williams Airway Intubator, bronchoscope, 173
Equipment: pressure infusors, 817

Fresh frozen plasma, 550

Gastric emptying, 565
Gastroenteritis, 293
Genome, 150
Glasgow Coma Scale (GCS), 34
Glottis, 872
Guidelines, 755

Haemodilution, 1170
Haemorrhage, 44
Heart, 3, 108
History: anaesthesia, 394
History: bronchoscopy, 290
Hypnotics: benzodiazepines, midazolam, 116
Hypothermia, 116

Immune response, 695
Indomethacin, 229
Infection, 885
Infection control, 293
Infection control: communicable diseases, 710
Information science: publishing, 1002
Injections, intravenous, 493
Instrumentation: rigid bronchoscopy, 290
Intensive care, 34, 374, 652, 885, 899, 960, 1193, 1221, 1224
Intensive care: drug costs, 1121
Intensive care: sedation, propofol, 636
Interleukin-8, 867
Intermittent positive pressure ventilation: transtracheal jet ventilation, 248
Intermittent positive-pressure ventilation, 715
Intermittent positive-pressure ventilation: non-invasive ventilation, 967
Intracranial pressure, 229
Intraoperative complications, 401
Intraoperative complications: air embolus, 817

© 2004 Blackwell Publishing Ltd

Intraoperative complications: atelectasis, 243
Intraoperative complications: barotrauma, 248
Intraoperative complications: cerebral injury, 344
Intraoperative complications: cough, 891
Intraoperative complications: hypertension, 1020
Intraoperative complications: myocardial ischaemia, 422, 1083
Intubation intratracheal: difficult intubation, 881
Intubation, intratracheal, 252, 675, 811, 1091
Intubation, Intratracheal: complications, 1069
Intubation, intratracheal: laryngoscopy, 1207
Intubation, intratracheas: cricoid pressure, 435
Intubation, tracheal, 38, 1016
Intubation, tracheal: fibreoptic, 173
Intubation: intratracheal, 647, 668
Intubation: tracheal, 27

Keratitis, 1221
Ketamine, 222

Labour, obstetric, 350
Laryngeal mask airway, 668, 675
Latex: pressure-limiting reservoir bag, safety mechanism, 177
Local anaesthetics: bupivacaine, 979
Local anaesthetics: ropivacaine, bupivacaine, 988

Manikins, 811, 1008, 1012
Manpower: anaesthetists, 960
Manpower: anaesthetists, nurses, 971
Mast cell tryptase, 695
Mastectomy, 664
Mastocytosis, 695
Measurement techniques: Doppler ultrasound, cardiac output, 108
Measurement techniques: Doppler, ultrasound, 10
Measurement techniques: transoesophageal echocardiography, 3
Medical errors, 528
Medication errors, 493, 1193
Meningitis: intracranial hypertension, 908
Metaraminol, 1210
Milrinone, 324
Molecular biology, 1002
Monitoring, intraoperative, 385
Monitoring, intraoperative: bispectral index, 610, 1059, 1064
Monitoring, intraoperative: cardiac output, 1104
Monitoring, intraoperative: cardiac output, thermodilution, 590
Monitoring, intraoperative: haemoglobin, 453
Monitoring, intraoperative: tracheal cuff pressure, 252
Monitoring: intra-operative, 750
Monitoring: intraoperative cardiac output, central venous pressure, 1170
Monitoring: pulmonary artery catheter, transoesophageal echocardiography, 1126
Monitoring: pulse oximetry, 390
Multiple organ failure, 899
Multiple sclerosis, 440
Multiple trauma, 464
Muscle spasticity, 364
Myocardial ischaemia, 60, 428, 574
Myotonic dystrophy, 1216

Neck injuries, 464
Needles, 1231
Nefopam, 559
Nerve block: paravertebral blockade, 459
Nerve block: sciatic, 613
Neuroleptic Malignant Syndrome, 364
Neuromuscular blocking agents: vecuronium, 750
Nonsteroidal anti-inflammatory drugs: celecoxib, 876

Obesity, 570
Occupational safety, 1221
Odours, 337
Ophthalmology: anaesthesia, 775
Oxygen consumption, 541
Oxygen inhaled therapy: inspiratory flow, Ventimask, venturi, 704

Pain, postoperative, 354, 613, 664, 1073
Pain: chronic, neuropathic, 440
Pain: postoperative, 222
Patient education, 354
Patient satisfaction, 166
patient simulation, 73
Peak expiratory flow rate, 872
Peri-operative care, 318
Perioperative care, 762
Pharmacogenomics, 150
Pharmacokinetics, 216
Pharmacokinetics; brain, 1201
Pharmacology, 993
Physician-patient relations, 166
Physiopathology: tissue oxygenation, 237
Plasma volume expanders, 738
Platelet function tests, 1100
Positive end-expiratory pressure, 243
Post operative complications: shivering, 559
Postoperative complications, 57, 318, 1219
Postoperative complications: cognitive dysfunction, 337
Postoperative complications: pain, 1167
Postoperative complications: pruritus, 876
Postoperative complications: pulmonary function, 861
Postoperative nausea and vomiting, 1078
Postoperative pain, 459
Posture, 894
Practice guidelines, 675
Pregnancy, 255
Prehospital emergency care, 1091
Pre-operative care, 166
Procedures, surgical: repeat, 332
propofol, 52
Propofol: overdose, 912
Pulmonary ventilation: forced vital capacity, 1160

Quality control: laboratory data, 767

Randomised controlled trials, 550
Receptors': N-methyl-D-aspartate, 222
Records: anaesthesia, 658
Research, 785
Respiratory dead space, 600
Respiratory physiology, 350, 743
Right ventricle: ejection fraction, 1126
Risk management, 493, 528, 658
Risk management: transcription error, 767
Risk reduction behaviour, 80

Safety, 80, 493
S100B protein, 344

© 2004 Blackwell Publishing Ltd

Sciatic nerve, 1023
Sleep disorders, 374
Smoking, 891, 1053
Spectroscopy: near-infrared, 453
Spinal injuries, 464, 755, 1095
Surgery, 44, 1053
Surgery: complications, 803
Surgery: gynaecological, 142
Surgery: spinal, 1160
Surgery: Vascular, coronary artery bypass, 422
Sympathetic nervous system: beta-adrenergic blockade, 60

Tear gas: CS spray, 1219
Temperature: body regulation, 116
Terlipressin, 993
Tetracosactrin, 138
Thoracotomy, 861
Thrombocytopenia: gestational thrombocytopenia, pre-eclampsia, HELLP, thrombotic thrombocytopenic purpura, immune thrombocytopenic purpura, 255
Thromboembolism, 803
Thyroid storm, 1020
Tissue distribution, 216
Tissue factor, 483
Tissue factor pathway inhibitor, 483

T-lymphocytes: Th1, Th2, 954
Tracheostomy: mechanical ventilation, airway pressure monitoring, 652
Tracheotomy, 73, 595, 1008, 1012
Training, 781
Transoesophageal echocardiography, 1178
Transoesophageal echocardiography, cardiac output: thermodilution, 1184
Troponin I, 318, 344
Troponin T, 318, 545

Ultrasonography, 1023
Unconsciousness, 464, 1095
unplanned admission, 57

Vascular endothelial growth factor, 867
Vasopressin, 993
Vecuronium, 1216
Ventilator weaning: oxygen therapy, work of breathing, 710
Ventricular function, 948
Vomiting: nausea, 142

Workload: anaesthesia, 781

Ximelagatran, 803

© 2004 Blackwell Publishing Ltd